




ENGINES / AMG 425



The AMG 425 model engine features a horizontal shaft configuration. It is versatile and suitable for a wide array of applications in professional, construction, and agriculture sectors. It can be installed in agricultural machinery, construction equipment, generators, irrigation and sprayer pumps, compressors, woodworking machinery, power washers, and chippers.

MODEL	AMG 425
ENGINE TYPE	OHV single cylinder engine, Horizontal shaft, Air-cooled, 4-stroke
POWER (Hp/Kw)	15 / 11
DISPLACEMENT (cc)	420
RPM	3600
BORE/STROKE RATIO (mm)	90x66
COMPRESSION RATIO	8.0:1
STARTING	Recoil start / Electric (optional)
FUEL TYPE	Unleaded petrol
FUEL TANK CAPACITY (litres)	6
OIL	SAE 10W 40 SJ Multi-grade
OIL PAN CAPACITY (litres)	1.1
"OIL ALERT" DEVICE	Yes
AIR FILTER	Dry
OVERALL DIMENSIONS (mm)	545 x 460 x 430
DRY WEIGHT (Kg)	32



AVAILABLE VARIANTS

AMGE 425 F5	Albero Conico Ø 23 mm, Avv. Elettrico
AMGE 425 F7	Albero Conico x Generatore Elettrico Ø 22,16 mm, Avv. Elettrico
AMGE 425 F4	Albero Cilindrico Ø 25,4 mm, Avv. Elettrico
AMGE 425 F2	Albero Cilindrico Ø 25,00 mm, Avv. Elettrico
AMG 425 F5	Albero Conico Ø 23,00 mm, conicità 1:5, filtro bagno olio
AMG 425 F7	Albero Conico x Generatore Elettrico Ø 22,16 mm
AMG 425 F4	Albero Cilindrico Ø 25,4 mm
AMG 425 F2	Albero Cilindrico Ø 25,00 mm

<http://www.axo-group.com/en/products/engines/amg-425.php>

AXO GROUP SRL - Via Spallanzani, 15 - 42024 Castelnovo di Sotto (RE)
Partita IVA, Codice Fiscale IT 02342860356 - Tel: 0522 688175 Fax: 0522 483731