

HONDA WX 15 Lightweight Water Pump

Reference: WX15T



HONDA WX15 LIGHTWEIGHT WATER PUMP 25mm FITTINGS 1.5 INCHES

HONDA WX15 water pump where it is required

HONDA WX15 The ideal choice for homeowners, gardeners and boat owners, these lightweight motor pumps are perfectly compact and easy to transport, meeting high volume and distance requirements as needed. And once the job is completed, they can be stowed away with ease.

Technical Specifications Honda WX15 Motor lightweight:

Pump type: Portable motor pump

Type of liquid handled: Clear water

Fuel: Gasoline

Maximum debris section (mm): 5

Engine: Honda GXH50, 4-stroke, OHV

Starting: Manual

Total head (m): 40

Maximum flow rate (Lt/min): 240

Maximum suction height (m): 8

Suction diameter (mm/inch): 40 - 1" 1/2

Outlet diameter (mm/inch): 40 - 1" 1/2

Pressure (Bar): 4

Autonomy (h): 1.30

Length (mm): 325

Width (mm): 275

Height (mm): 375

Dry weight (kg): 9

A HONDA WX15 Sealing System

What makes these lightweight pumps so effective is the quality craftsmanship of the hose seals and O-rings, which prevents air from entering and resulting in vacuum leakage.

The clearance between the impeller and stator case is also designed this way. This implies not only high flow and pressure but also considerable resistance.

In addition, they can run up to 1 hour and 30 minutes without requiring gasoline refueling.

HONDA WX15 Boost Power

Also known as "total manometric head," this indicates the maximum height at which the pump forces water from the suction height to the discharge height.

These lightweight pumps allow a thrust of up to 40 m, which is roughly the length of four parked buses. A very high distance.

The "total manometric head" (A) is the maximum water lifting capacity from the suction height (B) to the discharge height (C).

Read HONDA WX15

The term lightweight refers only to size and not power; in fact, they are capable of moving up to 240 liters per minute. Perfect for simple jobs, the tireless 4-stroke engines allow up to 7000 rpm thrust, which is quite exceptional for their size.

Hard as stone HONDA WX15

If water gets close to the engine, the situation can easily get out of hand. Thanks to mechanical seals, our lightweight motor pumps are strong, durable and do not allow water to seep in. These pumps are also capable of handling small debris fragments as small as 3 mm in size while a filter prevents larger materials from entering.

Sturdy construction HONDA WX15

Exactly in line with all Honda production, motor pump motors are reliable, low-emission and low-vibration, and the automatic decompression function enables quick and easy starting. To ensure maximum control, moreover, the WX 15 is equipped with the Oil Alert™ function. In fact, the automatic shutdown when the oil level is below the safe limit prevents engine damage.

If you are looking for a Lightweight Water Pump similar to the HONDA WX15 but with different features? you can find our entire range [HERE](#)

Technical Sheet

Fuel	Gasoline
Engine	Honda GXH50, 4 stroke, OHV
Engine rpm (rpm)	7000
Ignition	Transistorized
Starting system	Manuale
Engine capacity (cm ³)	
Number cylinders	1
Oil capacity (L)	0.25
Cooling	Forced air
Bore x stroke (mm)	41.8 x 36
Net power (kW)	1.6 KW (2.1 HP) / 3600 rpm
Pump type	Lightweight Pump
Fluid type	Clean water
Height of suction (m)	8
Maximum output capacity (Lt/min)	240
Pressure (bars)	
Debris size capacity (mm)	5.7
Total head (m)	40
Fuel tank capacity (L)	0.77
Consumption (L/h)	0.51

Running time (h)	1.5
Acoustic power	103 dB(A)
Acoustic pressure	88 dB(A)
Length (mm)	
Width (mm)	275
Height (mm)	
Dry weight (Kg)	9
Silenced	No
Super silenced	No
Engine manufacturer	Honda