



## PRAMAC GA10000 10 KVA LIQUID PROPANE - 10 KVA NATURAL GAS

Reference: PS103YXM000

### PRAMAC GA10000 10 KVA LPG - 10 KVA NATURAL GAS

Pramac GA10000 LPG or Natural Gas super-silenced generator set with automatic control unit.

Check the status of your generator at any time, wherever you are, thanks to the new Mobile Link™ mobile phone monitoring system. Your appliances will continue to run even when you are out.

An automatic home standby generator is the ideal solution to protect your home and your family's peace of mind from blackouts, which occur more and more frequently and with unpredictable durations, with devastating effects.

With a genset with automatic Home Standby control unit, as soon as the power goes out, the generator automatically switches on.

The PRAMAC GA10000 gas genset has the optional heater and 45A LTS mains-to-genset switchgear available

The GA series is available in various models to meet the needs of home or business owners and their energy requirements.

#### Technical characteristics of the PRAMAC GA10000 single-phase genset

Phase type: Single-phase

Maximum rated power ESP (LPG): 10 KVA

Maximum rated power ESP (LPG): 10 KW

Maximum rated power ESP (Natural Gas): 10 KVA

Fuel: Natural Gas or LPG

Frequency: 50 Hz

Voltage: 230 V

PRAMAC GA10000 generator set motor: Generac G-FORCE 1000 SERIES

Engine speed: 3000 rp

Starter: Electric

Displacement: 999

Cylinders: 2 V

PRAMAC GA10000 genset cooling: Air

Length: 1232 mm

Width: 648 mm

Height: 733 mm

Weight: 176 Kg

Voltage regulation: AVR

The genset is Supersilenced

Noise Emission Level

Acoustic power (LWA) dBA 95  
 Acoustic pressure at 7 m dB(A) 62  
 Quiet-Test Mode dB(A) 54  
 Free of refuelling needs

Pramac's residential backup generators are connected directly to your power supply. With a GA generator, you no longer have to deal with gas cylinders.

Best-in-class power quality

Thanks to True Power™ technology, this generator set series offers the best power quality on the market, with less than 5% total harmonic distortion to ensure smooth operation of the most sensitive equipment.

Not binding images and technical data.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	10
Maximum power single phase (KVA)	10
Fuel	Natural Gas or LP Gas
Frequency (Hz)	50
Voltage (V)	230
Emissions Regulations	Stationary Use
Engine rpm (rpm)	3000
Speed governor	Electronic
Starting system	Elettrico
Engine capacity (cm <sup>3</sup> )	999
Number cylinders	2
Cylinders' position	V to 90°
Oil capacity (L)	1.8
Cooling	Air
Stand By Power [Liquid Propane] (KVA)	10
Stand By Power [Liquid Propane] (KW)	10
Stand By Power [Natural Gas] (KVA)	10
Stand By Power [Natural Gas] (KW)	10
Poles	2
Video	