



CGM SUPER POWER 3300IE GENERATOR SINGLEPHASE 3,3KVA

Reference: CGM 3300IE

CGM SUPERPOWER 3300IE GENERATOR SINGLEPHASE 3,3KVA 3KW SILENCED INVERTER

The Generator SinglePhase 3,3KVA 3KW CGM SUPERPOWER 3300IE **ELECTRICAL STARTING Silenced inveter** is powered by gasoline.

CGM SUPERPOWER 3300IE is ideal for both professional and hobbyist use. The strengths of the generator singlephase 3,3KVA are: the inverter technology that allows to reduce consumption and noise as well as offering a high level of functionality, **lightweight only 33kg**, compactness Length: 560 mm Width: 310 mm Height: 490 mm ease of use and modern design.

These unitsets are **Electric start** in addition it is equipped with a very easy to start manual rope start and mounts a 4-stroke engine to optimize performance, **consumes only 1.2Lt/h** in small size.

The Generator singlephase **3,3KVA 3KW** has been specially developed for camping, caravans, houses, and hobby applications, but also for work being very robust and handy, being able to use all its power of with [verter technology](#).

The range of generator singlephase 3,3KVA supersilenced CGM SUPERPOWER 3300IE inverter

CGM SUPERPOWER 3300IE is a product that respects a high quality standard and guarantees a high level of reliability. For this reason, the generator singlephase 3,3KVA is able to ensure 12 months warranty and spare parts availability worldwide.

The strengths of CGM SUPERPOWER 3300IE are: the high quality of components, light weight, compactness, ease of use and also modern design.

This range of products has been developed especially for camping, caravans, home use, hobby, easy to use and reliable.

The advantages of Inverter technology

The RPM of the CGM SUPERPOWER 3300IE is variable.

When the generator singlephase 3,3KVA is turned on the engine idles, as soon as more electricity is drawn at a certain point, the engine will automatically accelerate to cover the required electricity consumption.

This results in a significant reduction in fuel consumption! In addition, all units with inverter technology also have the automatic voltage regulator AVR.

Technical features of the generator singlephase 3,3KVA CGM SUPERPOWER 3300IE

Maximum Power Single-phase: 3 KW

Maximum Power Single-phase: 3.3 KVA
Fuel: Gasoline
Voltage: 230V
Frequency: 50Hz
Motor: CGM
Starting: Manual / Electrical
Consumption: 1.2 Lt/h
Length: 560 mm
Width: 310 mm
Height: 490 mm
Weight Generator: 33 Kg
Super silenced
Inverter

If you want an item with different characteristics, you can see the following models always of the same [Silenced inverter](#).

Images and technical data not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	3
Maximum power single phase (KVA)	3.3
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	1 Schuko
Engine	CGM, 4 stroke
Emissions Regulations	Stationary Use
Engine rpm (rpm)	3000
Starting system	Manual / Electric
Number cylinders	1
Fuel tank capacity (L)	6.5
Consumption (L/h)	1.2
Running time (h)	5.42
Acoustic pressure	60 dB(A) at 7 m
Length (mm)	
Width (mm)	

Height (mm)	490
Dry weight (Kg)	33
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	No ATS
Voltage regulator	Inverter
Engine manufacturer	CGM
