



## Rent Light Tower LUXTOWER LUXM11 LED 8.5 Metres with 3.5 kVA Generator

Reference: LUX M11 - Noleggio

### RENTAL OF LUXTOWER LUXM11 LED 8.5 M LIGHT TOWER WITH 3.5 KVA GENERATOR

The RENTAL of the LUXTOWER LUXM11 LED 8.5 Meter Light Tower with 3.5 kVA Generator is one of the outstanding results of a development path characterized by the application of innovative LED technology. The LUXTOWER LUXM11 Light Towers with 3.5 kVA Generator are ideal for the rental sector and stand out for their low consumption, compactness, robustness, and ease of use. The LUXTOWER LUXM11 Light Tower with 3.5 kVA Generator is equipped with an integrated generator unit with 4x300 W LED floodlights, a vertical telescopic mast with a manual lifting system, and an auxiliary socket to power small tools.

#### RENTAL SERVICE:

Renting a Light Tower has never been easier: choose the product you want to rent and [FILL OUT THE FORM](#).

Our specialized rental service team will get back to you immediately with the best offer for you!

The rental equipment can be shipped throughout Italy and is always ready for use: our team of technicians ensures that it is always in perfect working condition.

For the rental of large quantities of machines, it is advisable to book in advance, especially during fairs or events, where many will take advantage of the rental service.

#### **Technical Specifications of the LUXTOWER LUXM11 LED Rental Light Tower:**

Phase Type: Single-phase

Maximum Single-phase Power: 3.5 KVA

Voltage: 230 V

Fuel: Diesel

Engine: Kubota Z482

Engine Speed: 1500 rpm

Lamp Type: LED

Lamps: 4 x 320 W

Telescopic Mast: Vertical

Illuminated Area: 9300 m<sup>2</sup>

Lifting: Manual

Maximum Height: 8 m

Mast Rotation: 340°

Min. Dimensions: 1780 X 1380 X 2600 mm

Max. Dimensions: 2410 X 2520 X 8000 mm

Transportability: Slow Tow Trailer

Wind Stability: 80 Km/h

Weight: 700 Kg

LUXTOWER LUXM11 Compared to metal halide lamps, LED floodlights offer:

- Instant lighting, no waiting time for cooling
- Fuel savings of up to 60% compared to incandescent systems
- Lamp lifespan five times longer than traditional ones
- Low environmental impact with CO2 reductions of approximately 50%

The LUXTOWER LUXM11 Rental is the ideal solution for the following outdoor applications:

- Construction sites
- Rental companies
- Extraction sites
- Events

Images and technical data are not binding. Always refer to the technical sheet issued by the manufacturer. Manel Service assumes no responsibility for any modifications made by the manufacturer.

""

## Technical Sheet

Phase	Single phase
Maximum power single phase (KVA)	3.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	Kubota Z482
Engine rpm (rpm)	1500
Starting system	Elettrico
Number cylinders	2
Cooling	Water
Alternator	Linz Synchronous or equivalent
Maximum height (m)	8
Type of lamps	LED
Lamps	4 x 320 W
Telescopic pole	Vertical
Illuminated area (m <sup>2</sup> )	9300
Lifting System	Manual lifting system
Mast rotation	350°
With generator / Without generator	With generator
Transportability	Slow Trailer
Stability to wind (Km/h)	80 Km/h
Fuel tank capacity (L)	80
Consumption (L/h)	0.55
Running time (h)	145

---

Acoustic pressure	65 dB(A) at 7 m
Dry weight (Kg)	700
Auxiliary socket (kVA)	1.3
Dimensioni min. (mm)	1780 X 1380 X 2600
Dimensioni max. (mm)	2410 X 2520 X 8000

---