



## GENERATOR RENTAL 550KVA TURIN

Reference: SR550 NOLEGGIO

### GENERATOR RENTAL 550KVA TURIN - SR550 SINGLE-PHASE / THREE PHASE 550KVA

Generator Rental 550KVA SR550, equipped with an FPT (IVECO) CURSOR 13 TE7W Diesel engine capable of delivering a maximum power of 550KVA, complete with voltage regulator.

Generator 550KVA TURIN is compact and easy to use, equipped with sound-absorbing panels that greatly reduce noise emissions and makes it **supersilenced**. The SR550 generating set is composed of a Mecc Alte alternator and voltage regulator. The SR550 generator set is equipped with electric start and with a low fuel consumption, in fact it consumes only 33.17 liters/hour at 75% of the load for an autonomy of up to 15 hours of operation. SR550 is equipped with electric start or automatic start by means of ATS panel, which allows the automatic start in case of blackout.

#### ATS AUTHOMATIC TRANSFER SWITCH

The SR550 generator set is predisposed for the use of the ATS Authomatic Transfer Switch. Thanks to which you will no longer have to worry about blackouts because if the mains fails, this panel is able to start the SR550 automatically and allow you to continue your activity without losing your work data.

#### RENTAL SERVICE TURIN

Rental a generator set has never been so easy: choose the product you want to rent and [FILL OUT THE FORM](#).

Our specialized staff will answer you immediately with the most suitable offer for you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will use the rental service.

#### GENERATOR 550KVA SR550 TECHNICAL CHARACTERISTICS

PhaseType: SinglePhase / Three Phase  
SinglePhase Continuous Power: 166.6 KVA / 133.3KW  
Maximum SinglePhase Power: 183.3 KVA / 146.6KW  
Three Phase Continuous Power: 500 KVA / 400KW  
Maximum Three Phase Power: 550 KVA / 440KW  
Factor cos fi?: 0.8  
VAC voltage: 230 / 400 V  
Frequency (Hz): 50

Voltage regulator: Yes  
Start-up switch: Manual / Automatic  
Engine: FPT (IVECO) CURSOR 13 TE7W  
RPM: 1500  
Power supply: Diesel  
Fuel tank capacity: 500 l  
Consumption @ 75 % load: 33.17 l/h  
Autonomy @ 75 % of load: 15 h  
Acoustic pressure: 75 dB(A) @ 7m  
Length: 4000 mm  
Width: 1400 mm  
Height: 2200 mm  
Net weight: 4200 Kg

Are you looking to rental a generator set with different technical characteristics? [Here](#) you can find our entire rental fleet where you can find the perfect generator for you.

Available for Turin and all of Italy.

The images are purely indicative.

Mauris ultricies ornare ligula, a ullamcorper ligula volutpat cursus. Maecenas euismod urna erat, sit amet lobortis metus accumsan mollis. Donec ut nisi at mi facilisis hendrerit vitae quis magna. Nam pharetra, nisl vel luctus pharetra, lacus nunc maximus metus, placerat ullamcorper turpis enim in purus. Curabitur aliquam rhoncus mauris, dictum ornare enim ornare id. Cras consequat turpis at purus euismod, vel pharetra libero cursus. Maecenas blandit, ex ac malesuada tempor, erat nisl feugiat ex, nec semper nunc augue id neque.

""

## Technical Sheet

Phase	Three phase
Maximum power single phase (KW)	146.6
Continuous power single phase (KW)	133.3
Maximum power single phase (KVA)	183.3
Continuous power single phase (KVA)	166.6
Maximum power three phase (KW)	440
Continuous power three phase (KW)	400
Maximum power three phase (KVA)	550
Continuous power three phase (KVA)	500
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Sockets configuration	Terminal box

Engine	FPT (IVECO) CURSOR 13 TE7W
Emissions Regulations	Stationary Use
Engine rpm (rpm)	1500
Speed governor	Mechanical
Starting system	Manual / Automatic
Cooling	Air
Alternator	Mecc Alte
Poles	4
Fuel tank capacity (L)	500
Consumption (L/h)	33.17 Lt/h al 75% del carico
Running time (h)	15 h al 80% del carico
Length (mm)	4
Width (mm)	1400
Height (mm)	2200
Dry weight (Kg)	4200
Silenced	Yes
Super silenced	Yes
Voltage regulator	Si
Engine manufacturer	FPT Iveco