



ULTIMATE130 SA 150W UNDERWATER LED SPOTLIGHT

Reference: S000475SA150W

ULTIMATE130 SA 150W LED LAMP UNDERWATER

ULTIMATE130 SA 150W is an underwater LED boat spotlight capable of generating a light output of 12000 lumens with remote On/Off control.

The ULTIMATE130 SA 150W's internal heat sink can be easily removed for maintenance and upgrades without the hassle of running your boat dry. ULTIMATE130 SA 150W has a larger aperture that has increased light output by 25%. We recommend installing the light 250mm below the minimum waterline.

With 12000 lumens of light output and a beam angle of 100 degrees, ULTIMATE130 SA 150W led is recommended for boats with fiberglass and wood hulls.

The internal unit (super adjustable) allows you to vary the beam angle from narrow to wide, and universally shift the beam direction 20 degrees from inside the housing

ULTIMATE130 SA 150W is recommended for boats over 25m, installing each fixture 1-3m apart for the best illumination. This flush mount underwater spotlight uses a ULTIMATE130 SA 150W screw-in body for installation in GRP, fiberglass hulls.

TECHNICAL FEATURES ULTIMATE130 SA 150W

Hull Material: GRP / Fiberglass
Boat Size: Up to 25m
Spacing: 1m up to 5m
Beam Angle: 100°
Installation Angles: Flush

Lumen: 12000
Kelvin: 7000
Typical LED Life Expectancy: 3000 h
Minimum and Maximum Operating Voltage: 110-240V AC
Current/Amplifier: 1.4 - 0.7 A
Driver Type: External
Output Drivers: N/A
Control Options: On & Off Switch

Device length: 209 mm
Device diameter: 130 mm
Device profile (height): 7.6 mm
Required removal space: 170 mm
Total weight: 4.5 kg

Cable length: Custom
Cutout hole: 101 mm
Material: Aluminum / Nickel coated / Bronze
Growth resistant lens: Borosilicate glass
Maximum hull thickness: 120 mm

Looking for an Underwater spotlight with different features? [Here](#) you can find the section dedicated to nautical lighting systems with brands specializing in the field.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Technical Sheet

| | |
|----------------------------|-------------|
| Voltage (V) | 110-240V AC |
| Diameter (Ø) | 130 mm |
| Average life of LEDs (hrs) | 3000 |
| Type of lamps | LED |
| Total lumens (Lm) | 12000 |
| Length (mm) | 209 |
| Weight (Kg) | 4.5 |
| Video | mSzY-vFJivE |