

VETUS GHX8SIC MARINE GENERATOR 8KVA

Reference: GHX8SIC



VETUS GHX8SIC MARINE GENERATOR 8KVA

VETUS GHX8SIC is an 8 KVA single-phase boat marine generator with a water-cooled, 3000 rpm diesel powered M2.18 engine with automatic control panel.

VETUS GHX8SIC marine operates at a fixed number of engine revolutions, and can be placed even in small spaces due to their compact size. The high quality design, insulation and materials of the marine generators in this range ensure reliability and durability.

All VETUS GENERATOR GHX8SIC come with the handy digital control panel, with which the user can automatically start or turn off the marine generator.

The alternator of the VETUS GHX8SIC is brushless, with **AVR voltage regulator**, class H insulation and IP 44 protection rating of internal parts. The AVR voltage regulator avoids voltage surges and does not allow to burn sensitive electronic devices such as pc, smartphone or appliances in general.

The VETUS GHX8SIC thanks to its AVR voltage regulator is a robust worker. Thanks to the pure sine wave, this marine generator is suitable for use in combination with electronic components such as a computer. In other words, a compact and reliable companion for your boat.

TECHNICAL FEATURES VETUS GHX8SIC marine generator:

Maximum singlephase power (KW): 6.4

Maximum singlephase power (KVA): 8

Fuel: Diesel

Voltage: 230 V

Frequency: 50 Hz / 60 Hz

Motor: M2.18

Cooling: Water

Engine RPM: 3000 rpm

Starting: Automatic

Acoustic power: 65 dB (A)

Protection class: IP 55

Length: 844 mm

Width: 659 mm

Height: 571 mm

Weight: 185 Kg

Reliability: the Vetus generator is designed to offer years of reliable service.

Versatility: the Vetus generator can be used for a wide range of applications.

Competitive price: the Vetus generator offers good value for money.

Are you looking for a marine generator VETUS for boats with different technical characteristics? [Here](#) you can find the whole range of VETUS GHX8SIC or other brands specializing in this field.

Images and technical data are not binding and may be subject to revision by the supplier.

qwertyuiftyd suushi bdsi ububs ipub suibuibas bxu bsaibsbb iabis bsbba ypbspy bdyb uud fux bsbc cb asbs bcfb sufw eds

...

Technical Sheet

Phase	Single phase
Continuous power single phase (KW)	8
Frequency (Hz)	50
Engine	VETUS M2.18
Engine rpm (rpm)	3000
Cooling	Water
Alternator	Synchronous, brushless
Poles	2
Length (mm)	844
Width (mm)	659
Height (mm)	571
Dry weight (Kg)	185
Product type	Generator
Voltage regulator	AVR