



MASE MARINER 805 S SINGLE PHASE SILENCED MARINE GENERATOR 8 KW

Reference: MARINER 805 S

MASE MARINER 805 S SILENCED SINGLE-PHASE MARINE GENERATOR 8 KW

MASE MARINER805S single phase silenced marine generator is equipped with a Yanmar 3TNV80F diesel engine capable of delivering a maximum power of 7.5 KW at 1500 rpm.

The MASE MARINER805S is built with and synchronous alternator, self-excited with air cooling, it is extremely compact and powerful, suitable even on small boats.

The MASE MARINER805S allows easy access for maintenance of the power and lubrication systems, seawater pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER805S is synchronous with 4 poles, self-regulated, self-excited, brushless, which in conjunction with the powerful Yanmar engine can deliver a maximum power of 8 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current as the home.

The MASE MARINER805S is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 51 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely light and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER805S

Phase Type: Single Phase
Maximum Output: 8 KW
Continuous Use Output: 7.5 KW
Fuel: Diesel
Voltage: 115 - 230 V
Frequency: 50 Hz
Engine: Yanmar 3TNV80F, 4 Stroke
Mechanical Power: 12.7 Hp
Number of Cylinders: 3
Displacement: 1267 cc
Rev Regulator: Mechanical Centrifugal
Engine RPM: 1500 rpm
Fuel Consumption: 2.9 l/h
Sound Pressure: 51 dB(A) @ 7 m
Alternator: Synchronous Brushless
Voltage Regulator: AVR
Length: 921 mm
Width: 581 mm
Height: 656 mm

Weight: 295 Kg

If you are looking for another marine generator then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	8
Continuous power single phase (KW)	7.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	Yanmar 3TNV80F, 4 Tempi
Engine rpm (rpm)	1500
Speed governor	Centrifugal, mechanical
Engine capacity (cm ³)	1267
Number cylinders	3
Cooling	Air
Inyección	Direct
Alternator	Synchronous, self-excited
Poles	4
Lubrication	Forced
Consumption (L/h)	2.9 at 100% of the load
Acoustic pressure	51 dB(A) at 7 m
Length (mm)	921
Width (mm)	581
Height (mm)	656
Dry weight (Kg)	295
Inverter	No
AVR	Yes
Compound	No
Silenced	Yes
Super silenced	Yes
Product type	Generator

Voltage regulator

AVR

Engine manufacturer

Yanmar
