



## MASE MARINER 1350 KS SINGLE PHASE SILENCED MARINE GENERATOR 12.5 KW

Reference: MASE MARINER 1350 KS

### MASE MARINER 1350 KS SILENCED SINGLE-PHASE MARINE GENERATOR 12.5 KW

MASE MARINER1350KS single phase silenced marine generator is equipped with a KUBOTA D1703 diesel engine capable of delivering a maximum power of 12.5 KW at 1500 rpm.

The MASE MARINER1350KS is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, suitable for small boats.

The MASE MARINER1350KS allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto shutdown for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER1350KS is a 4-pole synchronous, self-regulated, self-excited, brushless alternator, which in combination with the powerful KUBOTA engine can deliver a maximum power of 12.5 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

The MASE MARINER1350KS is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 50 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

#### Technical Features MASE MARINER1350KS

Phase Type: Single Phase  
Maximum Power: 12.5 KW  
Fuel: Diesel  
Voltage: 115 - 230 V  
Frequency: 50 Hz  
Engine: KUBOTA D1703, 4 Stroke  
Mechanical Power: 19.4 Hp  
Number of Cylinders: 3  
Displacement: 1500 cc  
Rev Regulator: Centrifugal Mechanical  
Engine RPM: 1500 rpm  
Fuel Consumption: 4.1 l/h  
Sound pressure: 50 dB(A) @ 7 m  
Alternator: Synchronous Brushless  
Voltage regulator: AVR  
Length: 1040 mm  
Width: 631 mm  
Height: 694 mm

Weight: 390 Kg

If you are looking for another marine generator then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	12.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	KUBOTA D1703, 4 Tempi
Engine rpm (rpm)	1500
Speed governor	Centrifugal, mechanical
Engine capacity (cm <sup>3</sup> )	1500
Number cylinders	3
Cooling	Air
Inyección	Indirect
Alternator	Synchronous, self-excited
Poles	4
Lubrication	Forced
Consumption (L/h)	4.1 at 100% of the load
Acoustic pressure	50 dB(A) at 7 m
Length (mm)	1040
Width (mm)	631
Height (mm)	694
Dry weight (Kg)	390
Inverter	No
AVR	Yes
Compound	No
Silenced	Yes
Super silenced	Yes
Product type	Generator

---

Voltage regulator	AVR
Engine manufacturer	Kubota

---