



GENMAC GR1250IN SINGLE-PHASE GENERATOR 1.1 kW INVERTER

Reference: 04882

GENMAC GR1250IN SINGLE-PHASE GENERATOR 1.1 kW INVERTER

The Genmac GR1250IN single-phase generator is equipped with a 4-stroke R60I engine, powered by gasoline, capable of delivering a maximum power of 1.1KW, super quiet thanks to the inverter provided.

The Genmac GR1250IN is particularly compact and light, it can be transported by hand, with extreme ease in any place; This feature is very appreciated by those customers who deal with the sale of products in the squares, streets or markets and that for reasons of lack or remoteness of parking for their cars, must carry the generator by hand for considerable distances (old town, remote areas, etc.).

The GENMAC GR1250IN has an internal tank for the fuel with capacity of 2,6 lt, guarantees an autonomy of about 3,5 h. The small size and the strong handle located above the body of the machine, make it perfect for transport and easy placement during periods of inactivity. All materials used for the manufacture of Genmac GR1250IN, are of first choice, offering and guaranteeing the customer a tested and proven product at a very affordable price. Precisely for this reason, it is a very popular tool for professionals and DIY enthusiasts.

Thanks to the electrical stabilizer of the Inverter technology that works at very low distortion, the generator delivers constant current loads without voltage spikes that could damage electrical and electronic devices.

Another advantage of the inverter is to work with variable engine speed, according to the need for current to be delivered, optimizing the best fuel consumption, gas emission and wear of mechanical parts. This product is ideal for use in campsites, campers and for outdoor leisure time.

Thanks to the low noise impact obtained thanks to the inverter, it is possible to use the GENMAC GR1250IN even in environments where particularly loud noises can not be accepted, such as historic centers, hospitals, schools, gyms, etc.. Do not underestimate the considerable discomfort that you feel, to be all day near the noisy generators for work needs.

TECHNICAL FEATURES GENMAC GR1250IN:

Phase Type: Single Phase
Nominal Power: 1.0 kW
Maximum Power: 1.1 kW
Frequency: 50Hz
Nominal Voltage: 230V
Voltage Regulator: Inverter
Motor: R60I 4-stroke
Revolutions: 3000 rpm
Number of cylinders: 1
Displacement: 60 ml
Start: Manual

Fuel: Gasoline
Tank capacity: 2.6 L
Autonomy: 3.5 h
Noise: 65 dBA @ 7m.
Length: 380 mm
Width: 240 mm
Height: 420 mm
Weight: 14 kg

Are you looking for a generator with different technical characteristics? [Here](#) you can find the full range of GENMAC generators or other specialized brands

Images and technical data are not binding and may be subject to revisions.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	1
Continuous power single phase (KW)	1.1
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	1 Shucko + Thermal
Engine	4 stroke
Engine rpm (rpm)	3000
Ignition	Recoil
Starting system	Manual
Number cylinders	1
Cooling	Air
Alternator	Synchronous
Fuel tank capacity (L)	2.6
Running time (h)	3.5
Acoustic pressure	65 dB(A) at 7 m
Length (mm)	380
Width (mm)	240
Height (mm)	420
Dry weight (Kg)	14
Silenced	Yes

Super silenced	Yes
ATS Switch device	No ATS
Voltage regulator	Inverter
