



HONDA F 220 K1 GE T2 MINI ROTARY TILLER 53.3 CC.

Reference: F 220 K1 GE T2

HONDA F 220 K1GET2 MINI ROTARY TILLER 53.3 cc.

The HONDA F220K1GET2 is a mini rotary tiller equipped with a gasoline-powered HONDA OHC GXV57 engine capable of delivering a mechanical power of 1.5 KW.

The HONDA F220K1 mini tiller is used to break up hard, compacted soil and optimally prepare it for planting. Ideal for small gardens, this effective power tiller has a robust 4-stroke engine that takes on the hard work.

HONDA mini F220K1 is perfect not only for cultivating, but also for pulling weeds between the rows of plants and taking the best care of the aesthetics of your flowerbeds. This tiller features a center carry handle, thanks to which it can be easily folded for easy transport and storage.

Thanks to the adjustable height handle the HONDA F220K1 is perfect for operators of any height, plus, you can adjust the handlebar to the left or right so you can avoid compressing or stepping on the cultivated soil.

TECHNICAL FEATURES HONDA F220K1 GE T2 mini:

Maximum working width: 545 mm
Maximum working depth: 280 mm
Forward speed: 1
Forward rotation speed: 130 rpm.
Engine: HONDA OHC GXV57, 4-stroke
Displacement: 57.3 cc
Engine net power: 1.5 KW
Engine speed: 4800 rpm.
Fuel tank capacity: 0.67 l
Oil capacity: 0.3 l
Start: Recoil start
Transmission clutch: Manual - Expansion spindle
Transmission: Planetary gear
Final drive: Pinion and bevel gear
Sound pressure at operator's ear (dB(A)+): 75
Guaranteed sound power level (dB(A)++): 92
Vibrations (m/sec²): 6.4
Length: 1280 mm
Depth: 615 mm
Height: 1035 mm
Dry weight: 30 Kg

Looking for a rotary tiller with different technical characteristics? [Here](#) you can find the area dedicated to rotary tiller HONDA or

other specialized brands.

Technical Sheet

Fuel	Gasoline
Engine	HONDA OHC GXV57
Ignition	Recoil
Starting system	Manual recoil
Engine capacity (cm ³)	57.3
Oil capacity (L)	0.3
Working width (mm)	545
Transmission	Ingranaggio epicicloidale
Net power (kW)	1.5
Fuel tank capacity (L)	0.67
Acoustic power	92 dB(A)
Acoustic pressure	75 dB(A) at 7 m
Length (mm)	1280
Height (mm)	1035
Dry weight (Kg)	30
Self propelled	Yes
Speeds	1 Aanti
Max tilling depth (mm)	280
Engine manufacturer	Honda