



HONDA Outboard BF 250D XDU WHITE Extra Long Shaft 183.9 kW

Reference: BF 250D XDU TOTAL WHITE

HONDA OUTBOARD BF 250D XRU EXTRALONG SHAFT 250HP MECHANICAL CONTROL

HONDA Outboard BF 250D XDU TOTAL WHITE with VTEC™ engine, 635mm transom height, counter-rotating stem, 60A battery charging current and motorized trim and tilt adjustment.

HONDA Outboard BF 250D XDU is a large displacement engine that delivers superior torque and top speed and is capable of delivering power and performance for both professional and competition use.

HONDA Outboard BF 250D XDU is large displacement, featuring high torque value at all operating speeds and delivers high acceleration and exceptional top speed.

BLOAST system for explosive acceleration

The Boasting LoW Speed Torque (BLAST) system on the HONDA BF 250D XDU TOTAL WHITE outboard significantly improves performance and acceleration by automatically anticipating injection times and increasing the air/fuel ratio.

VTEC, extreme performance

The VTEC (Variable Valve Timing and Lift Electronic Control) technology available in the HONDA BF 250D XDU outboard varies intake valve lift and timing for optimal performance. This technology ensures smooth and stable idling at low speeds, while increasing valve lift and timing at high rpm to provide a wider and more optimized torque curve.

Technical Specifications HONDA BF 250D XDU TOTAL WHITE

Net Power (kW): 183.9
Net Power (Hp): 250
Displacement: 3583 cm³
Shaft length: extra long
Starter: Electric
Ignition system: Electronic PGM-IG
Fuel supply: PGM-FI (Programmed electronic injection)
Setup and engine lift: Electric
Bore x stroke: 89 x 96 mm
Engine: Honda OHC, 4-stroke
Number of cylinders: V6 VTEC
Speed at full throttle (rpm): 5300-6300
Cooling system: Water
Battery charge capacity (A): 60
Propeller rotation: Standard
Transom height (mm): 635
Length (mm): 920
Width (mm): 660
Height (mm): 1915
Dry weight (Kg): 287

Are you looking for an outboard with different technical specifications? [Here](#) you can find the full range of Honda outboards or other brands specializing in the field.

The images are for guidance only.

Technical Sheet

Fuel	Gasoline
Engine	OHC, 4 stroke
Ignition	Electronic PGM-IG
Starting system	Electric
Engine capacity (cm ³)	3583
Number cylinders	6
Cooling	Water (with thermostat)
Bore x stroke (mm)	89 x 96
Reduction ratio	2.00
Rpm at full throttle (rpm)	5300 - 6300
Appearance and engine lifting	Electric
Transom height (mm)	635
Net power (kW)	183.9
Length (mm)	920
Width (mm)	660
Height (mm)	1915
Dry weight (Kg)	287
Shaft Length	X
Controls	Remote