



BADA 10M MANUAL LIFTER AISI 304 STAINLESS STEEL 1000Kg CAPACITY

Reference: 10M in A304

BADA 10M MANUAL LIFTER AISI 304 STAINLESS STEEL 1000Kg CAPACITY

BADA 10M is a lifter in stainless steel AISI 304 with manual lifting up to 1650 mm, designed to position goods at the ideal height and reduce the operator's effort during the operations of picking up and putting down the goods.

BADA 10M thanks to its constructive characteristics, and to the construction entirely in **stainless steel AISI 304** can be used in the agri-food, chemical and pharmaceutical industry.

Resistant, easy to handle and with an ergonomic design, it fully complies with the strictest hygienic requirements as it can be sanitized with regular high-pressure washing. BADA 10M is equipped with side handles to direct the trolley and braking system on both steering wheels.

BADA 10M is a manual lifter entirely made of AISI 304 stainless steel (including the lifting pump and hydraulic components), suitable for use in wet and corrosive environments where impeccable cleanliness and hygiene are required and corrosion problems caused by the use of acids and salt solutions must be solved. The bearings are waterproof and the rollers are made of nylon with a polyurethane cover making them extremely resistant and further minimizing maintenance costs.

The BADA 10M Transpallet **ON EXPLICIT REQUEST OF THE CUSTOMER** can be supplied in AISI 316 stainless steel (**Optional WITH surcharge**).

TECHNICAL FEATURES BADA 10M

Type of propulsion: Manual
Driving system: Manual
Lifting: Manual
Construction material: AISI 304 stainless steel
Capacity: 1000 Kg
Quantity of rear wheels : 2
Quantity front wheels: 2
Lift height: 1650 mm
Fork width: 180 mm
Fork length: 1150 mm
Turning radius: 1262 mm
Height of drawbar at rest: 2073 mm
Total length: 1660 mm
Total width: 780 mm
Net weight: 220 Kg

Are you looking for a pallet truck with different technical characteristics? [HERE](#) you can find the area dedicated to BADA or other Transpallet specialized brands.

Images and technical data are not binding.

Technical Sheet

Drive	Manual
Operator type	
Load capacity (Kg)	1000
Service weight (Kg)	220
Tyres: front wheels	POLY.I. / NYLON
Tyres: rear wheels	
Quantity rear wheels	2
Quantity front wheels	2
Rear balancing axle	No
Lift height (mm)	1650
Height of tiller in drive position max (mm)	1170
Height of tiller in drive position min (mm)	671
Height lowered (mm)	90
Overall length (mm)	1660
Overall width (mm)	780
Width fork (mm)	180
Length fork (mm)	1150
Distance between fork arms (mm)	200
Turning radius (mm)	1320
Weigher	No