



WHISPER M-GV8 PICCOLO SINGLE-PHASE MARINE GENERATOR 8KVA INVERTER STAGE V

Reference: 49005005

WHISPER M-GV8 PICCOLO SINGLE-PHASE MARINE GENERATOR 8KVA INVERTER STAGE V

WHISPER M-GV8 PICCOLO Single-phase marine generator with Kubota Z482 Stage V diesel engine, delivers 8KVA of power, **complete with INVERTER voltage regulator.**

The WHISPER M-GV8 PICCOLO is designed with a soundproof cabin that makes it **super-silent**. Excellent accessibility to the internal compartment makes maintenance easier, even with the generator installed in cramped spaces.

Thanks to the WHISPER M-GV8 PICCOLO and the electrical stabilizer with inverter technology that operates with very low distortion, the The WHISPER M-GV8 PICCOLO generator delivers constant current loads without voltage spikes that could damage electrical and electronic devices. Another advantage of the inverter is that it operates with variable engine speeds based on the current required, optimizing fuel consumption, exhaust emissions, and wear on mechanical parts.

STAGEV EMISSIONS REGULATION

The WHISPER M-GV8 PICCOLO is equipped with a "mobile" STAGEV engine, as required by European Regulation 2016/1628. These new engines exponentially reduce particulate and nitrogen oxide emissions from the WHISPER M-GV8 PICCOLO generator, guaranteeing a 200% reduction in environmental impact compared to standard engines.

Technical Features WHISPER M-GV8 PICCOLO:

Phase Type: Single Phase
Maximum Power: 8 KVA
Continuous Power: 6 KW
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz
Engine: Kubota Z482
Emissions Standard: Stage V certified / EPA Tier 4
Number of Cylinders: 2
Displacement: 479 cc
Engine speed: 2400 / 2800 rpm
Fuel consumption: 2.5 l/h at 100% load
Sound power: 51 dBA @ 7 m
Voltage regulator: Inverter
Length x width x height (generator): 660 x 550 x 622 mm
Length x width x depth (PMG): 490 x 198 x 191 mm
Dry weight (generator + PMG): 155 + 9.9 kg

Looking for a product with different technical characteristics?[HERE](#) you can find the area dedicated to WHISPER marine generators or other specialized brands.

Technical Sheet

Phase	Single phase
Continuous power single phase (KW)	6
Maximum power single phase (KVA)	8
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	Kubota Z482
Emissions Regulations	Stage 5
Engine rpm (rpm)	2400 - 2800
Engine capacity (cm ³)	479
Number cylinders	2
Cooling	Raffreddamento ad acqua indiretto
Acoustic pressure	51 dB(A) at 7 m
Length (mm)	660
Width (mm)	550
Height (mm)	622
Dry weight (Kg)	155 + 9.9
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	Inverter
Engine manufacturer	Kubota