

WHISPER M-SQ PRO 15 MARINE GENERATOR 15KVA SINGLE-PHASE/THREE-PHASE AVR

Reference: 41207305



WHISPER M-SQ PRO 15 MARINE GENERATOR 15KVA SINGLE-PHASE/THREE-PHASE AVR

WHISPER M-SQ PRO15 Single / three phase marine generator with Kubota V1505 BG diesel-powered engine delivers 15KVA power, complete with AVR voltage regulator.

WHISPER M-SQ PRO15 comes standard with a robust acoustic capsule with anti-corrosion metal plating and insulation material for optimal sound reduction. The acoustic pod has easy access to all sides of the marine generator and provides access to all maintenance-related components from one side.

The Whisper M-SQ Pro15 is designed to work efficiently and reliably in marine environments due to its rustproof, corrosion-resistant, and saltwater-resistant construction. In addition, the WHISPER M-SQ PRO15 marine generator is very quiet and offers low emission of pollutants, ensuring to provide an environmentally sustainable solution.

AVR VOLTAGE REGULATOR

WHISPER M-SQ PRO15 is equipped with AVR, which, mounted on an alternator, allows a generator to stabilize the output voltage and does not ruin the connected sensitive electronic devices. In the modern market, AVRs have taken a huge step forward in technology and performance; therefore, the world's top genset and alternator brands are moving along this line of thinking.

An important feature of the SQ Pro range is the 7-inch color touch screen control that will be linked with WhisperCare. This allows complete control of the M-SQ Pro15 system. A perfect solution for instant and/or historical information with an attractive display.

DeepSea Control Features (Optional)

- Group parallel functionality included (ask for more details)
- Provides secure and easy offsite monitoring (optional)
- Allows you to quickly resolve fault conditions and provide instant system information to aid in preventive maintenance
- Graphic displays showing, graphs, meters, power display, graphs and engine status information
- The information is displayed clearly and in a universal format for all users
- Language of your choice

Technical characteristics WHISPER M-SQ PRO15:

Phase Type: Single Phase / Three-Phase
Maximum Power: 15.6 KVA / 12.5 KW
Continuous Power: 15 KVA / 12 KW
Fuel: Diesel
Voltage: 230 V
Frequency: 50 Hz (60 Hz)

Engine: Kubota V1505 BG
 Emissions standard: Not Emissions
 Number of cylinders: 4
 Engine speed: 1500 rpm
 Power acoustics: 55 dBA
 Voltage regulator: AVR
 Length: 1145 mm
 Depth: 625 mm
 Height: 690 mm
 Net weight: 410 Kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER marine generators or other specialized brands.

Non-binding images and technical data.

Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	12.5
Continuous power three phase (KW)	12
Maximum power three phase (KVA)	15.6
Continuous power three phase (KVA)	15
Fuel	Diesel
Frequency (Hz)	50 / 60
Voltage (V)	230
Engine	Kubota V1505 BG
Emissions Regulations	Not Emitted
Engine rpm (rpm)	1500
Number cylinders	4
Cooling	External radiator cooling
Acoustic pressure	55 dB(A)
Length (mm)	1145
Width (mm)	625
Height (mm)	690
Dry weight (Kg)	410
Silenced	Yes
Super silenced	Yes
Product type	Generator
Voltage regulator	AVR

Engine manufacturer

Kubota
