



WHISPER M-SQ PRO 18 MARINE GENERATOR 18KVA SINGLE-PHASE / THREE-PHASE STAGEV AVR

Reference:

WHISPER M-SQ PRO18 MARINE GENERATOR 18KVA SINGLE/ THREE-PHASE AVR

WHISPER M-SQ PRO18 Single/three-phase marine generator with Kubota V2203 MBG StageV diesel engine delivering 18KVA power, **complete with AVR voltage regulator.**

The WHISPER M-SQ PRO18 marine generator is equipped as standard with a robust acoustic capsule with anti-corrosion metal plating and insulating material for optimal sound reduction. The hearing protector features easy access to all sides of the WHISPER M-SQ PRO18 marine generator and offers access to all maintenance-related components from one side only.

Thanks to the electrical stabilizer of AVR technology that works at very low distortion, WHISPER M-SQ PRO18 delivers constant current loads without peaks that could damage electrical and electronic devices. A further advantage of the inverter is that it works with variable motor revolutions, based on the need for the current to be supplied, optimizing fuel consumption, gas emissions and wear of the mechanical parts in the best possible way.

VOLTAGE REGULATOR

WHISPER M-SQ 18 is equipped with AVR which, mounted on an alternator, allows a generator set or current generator to stabilize the output power and does not damage the connected sensitive electronic devices. In the modern market, inverters have made a huge step forward in terms of technology and performance; for this reason the best brands of generator sets and alternators in the world are moving along this line of thought.

STAGEV EMISSIONS REGULATIONS

The WHISPER M-SQ PRO18 Marine Generator is equipped with "mobile" STAGEV engines, as required by European Regulation 2016/1628. These new motorizations make it possible to exponentially reduce the particulate and nitrogen oxide emissions delivered by the WHISPER M-SQ PRO18 marine generator to the environment, and ensure a 200% reduction in environmental impact compared to standard motorizations.

DeepSea Control Features (Optional)

- Group parallel functionality included (ask for more details)
- Provides secure and easy offsite monitoring (optional)
- Allows you to quickly resolve fault conditions and provide instant system information to aid in preventive maintenance
- Graphic displays showing, graphs, meters, power display, graphs and engine status information
- The information is displayed clearly and in a universal format for all users
- Language of your choice

Technical characteristics WHISPER M-SQ PRO18:

Phase Type: Single Phase / Three Phase
 Maximum Power: 18 KVA / 14.5 KW
 Continuous Power: 17.5 KVA / 14 KW
 Fuel: Diesel
 Voltage: 230 / 400 V
 Frequency: 50 Hz (60 Hz)
 Engine: Kubota V2203 M BG
 Emission standard: StageV Certified
 Number of cylinders: 4
 Engine speed: 1500 rpm
 Acoustic power: 55 dBA
 Voltage regulator: AVR
 Length: 1220 mm
 Depth: 719 mm
 Height: 754 mm
 Net Weight: 495 kg

Are you looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to WHISPER vehicle generators or other specialized brands.

Non-binding images and technical data.

Technical Sheet

Phase	Single phase / Three phase
Maximum power three phase (KW)	14.5
Continuous power three phase (KW)	14
Maximum power three phase (KVA)	18
Continuous power three phase (KVA)	17.5
Fuel	Diesel
Frequency (Hz)	50 / 60
Voltage (V)	230 / 400
Engine	Kubota V2203 M BG
Emissions Regulations	Stage 5
Engine rpm (rpm)	1500
Number cylinders	4
Cooling	External radiator cooling
Acoustic pressure	55 dB(A)
Length (mm)	1220
Width (mm)	719
Height (mm)	754
Dry weight (Kg)	495
Silenced	Yes
Super silenced	Yes

Product type	Generator
Voltage regulator	AVR
Engine manufacturer	Kubota
