


WATERMAKER OSMOSEA NEW12 NAUTICAL 150LT/H



Reference: A-0000002377

WATERMAKER OSMOSEA NEW12 NAUTICAL 150 LT/H

Watermaker Osmosea New12-150 nautical is a one-piece reverse osmosis plant equipped with 1 carbon 4040 vessels, capable of supplying up to 150 lt/h of fresh water through the reverse osmosis process.

The watermaker's semipermeable membrane used in the reverse osmosis process separates the salt and impurities in the seawater from the freshwater, allowing the freshwater to be collected on the opposite side of the membrane.

The Osmosea New12-150 nautical watermaker is specially designed for boats, offering constant production of fresh water thanks to its automatic control system, which regulates pressure and pump speed.

Equipped with state-of-the-art technology, the Osmosea New12-150 uses a reverse osmosis process to remove salt and other impurities from seawater, producing high-quality fresh water. This process is done through a series of specialized filters and membranes that separate salt and unwanted substances from the water, ensuring a clean and safe result.

Osmosea New12-150 is a powerful nautical watermaker designed to provide an abundance of fresh water while sailing. With a capacity of 150 liters per hour, this Nautical watermaker can meet the drinking water needs of large crews or boats that require a large amount of fresh water.

The watermaker Nautical is sold complete with:

- Osmosea® Pressure Intensifier
- Stainless Steel Feed Pump with Brushless Motor
- Pre-filter
- Post-filter;
- Flushing System
- Carbon Filter for Flushing
- Touchscreen Remote Panel
- Digital System Control Unit
- Brushless Motor Control Unit
- Installation Kit (Hoses, fittings, hose clamps)
- Maintenance Kit (No.1 spare filter set, filter wrench, Products for washing and winterization)
- Non-Return Valve
- NMEA 2000 Compatibility

Its compact design allows easy installation on board, optimizing the use of available space on the boat. In addition, it is equipped with an intuitive control panel that allows quick and easy management of desalination operations.

The Osmosea New12-150 watermaker's control system constantly monitors the quality of the water produced, ensuring that it is of high quality and potable. The Osmosea New12-150 watermaker is also compact and easy to install, suitable for any vessel, large

or small, and requires little in the way of maintenance.

REMOTE PANEL FUNCTIONS

- Start/Stop
- Start with Soft Start
- Automatic Stop with timer or with programmable liter counter
- Inlet Pressure Readout
- Differential pressure reading
- Readout lt/h produced
- Salinity reading
- Hour counter
- Immediate osmotic membrane flushing
- Osmotic membrane flushing Periodic
- Automatic Pressure Regulation
- Salinity Monitoring and Control System

TECHNICAL CHARACTERISTICS OSMOSEA NEW12 150 NAUTICAL:

Production: 150 lt/h
Daily Production: 3600 lt/day
Vessel Number: 1
Vessel Type: 4040 in Carbon
Membranes: high efficiency
Expelled Salt: 99.4%
Pressure regulation: Automatic
Salinity monitoring: Automatic Electronic
Maximum use salinity: 50000 ppm
Power supply voltage: 24Vdc / 230Vac
Installed power Vdc: 600 W
Installed power Vac: 750 W
Frame: stainless steel
Length: 1245 mm
Width: 290 mm
Height: 425 mm
Net weight: 60 kg

Looking for a watermaker Nautical NEW12 with different features? [HERE](#) you can find the area dedicated to watermakers from OSMOSEA or other specialized brands.

Non-binding images and technical data.

""

Technical Sheet

Length (mm)	1245
Width (mm)	290
Height (mm)	425
Feed Type	24 VDC or 230 VAC
Production for hour at 25°C (Lt/h)	150
Daily production at 25°C (Lt/day)	3600
Membranes	n.14" x 40"

Remote panel	Digital touch screen
Product type	Watermaker
Weight (Kg)	60
