



GENSET MG 10.3 DT VEHICULAR GENERATOR 10 KVA

Reference: MG 10.3 DT

GENSET MG 10.3 DT VEHICULAR GENERATOR

GENSET MG 10.3 DT Compact, light and silent vehicular generator designed for installation on board special vehicles such as workshop wagons, motorhomes, trucks and caravans, Civil Defence rescue vehicles. Equipped with a Yanmar 1500 rpm engine, it is fitted with an on-board control panel and external muffler, 20 litre plastic or steel tank available.

The GENSET MG 10.3 DT can be used to power work equipment, such as power tools, compressors or welders, in locations not served by a power grid. It can also be used to supply power to caravans or motor homes while travelling.

GENSET MG 10.3 DT vehicle generators are used in a variety of applications, including:

Construction sites: vehicular generators are used to power work equipment such as power tools, compressors or welding machines.

Events: Vehicular generators are used to power audio and video equipment, lights and other electrical devices.

Outdoor work: Vehicle generators are used to power electrical equipment in locations not served by a power grid.

Emergencies: vehicular generators can be used to supply power in the event of a blackout or natural disaster.

TECHNICAL DATA GENSET MG 10.3 DT VEHICULAR GENERATOR:

Maximum three-phase power: 10 KVA
Maximum three-phase power: 8 KW
Maximum power Single-phase: 3.3 KVA
Single-phase maximum power: 2.64 KW
Fuel: Diesel
Voltage: 230/400 V
Frequency: 50 Hz
Engine: Yanmar 3TNV80F (STAGE V)
Starter: Electric
Consumption: 2.2 Lt/h
Length: 1070 mm
Width: 560 mm
Height: 660 mm
Weight: 320 Kg

Vehicular generator 10 kVA 400/230V 50 Hz. super

silenced - without tank - without starter battery.

If you are looking for a similar product or with similar characteristics click [HERE](#).

Images purely indicative.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	2.64
Maximum power single phase (KVA)	3.3
Maximum power three phase (KVA)	10
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230 / 400
Engine	Yanmar 3TNV80F-NGB
Engine rpm (rpm)	1500
Starting system	Electric
Alternator	Synchronous
Protection degree	IP23
Consumption (L/h)	2.2
Acoustic pressure	58 dB(A) at 7 m
Length (mm)	1070
Width (mm)	560
Height (mm)	660
Dry weight (Kg)	320
Silenced	Yes
Super silenced	Yes
Product type	Generator
Engine manufacturer	Yanmar