



HYUNDAI GENERATOR THREE-PHASE SILENCED 16KW/20KVA STAGE II

Reference: 65521

HYUNDAI GENERATOR THREE-PHASE SILENCED 16KW/20KVA STAGEII

Generator Hyundai three-phase silenced Stagell power reliability in a single solution

The Hyundai three-phase Silenced Stagell Generator is the ideal choice for those looking for reliable and quiet generator Hyundai Stagell to power their home, business or construction site.

With a rated output of 16 kW single-phase and 48 kW three-phase, this generator Hyundai Stagell can power a wide range of equipment.

Its main features include:

2540 cc Cummins engine: reliable and compliant with Stagell anti-pollution regulations.

Direct injection system: ensures high efficiency and low fuel consumption.

LK184E alternator: robust and reliable, providing a pure sine wave ideal for powering sensitive electronic equipment.

Waterproof" control panel: allows easy and safe monitoring and control of the generator Hyundai Stagell.

Emergency safety button: ensures immediate generator Hyundai shutdown in case of need.

Waterproof miniature circuit breaker: protects the generator Hyundai from overloads and short circuits.

Noise level below 75 dB (at 7m): quiet operation that does not disturb neighbours.

IP23 degree of protection: resistant to water and dust.

Large autonomy: 40 litre tank for prolonged operation.

Liquid cooling system: keeps the generator Hyundai at optimum temperatures even under severe working conditions.

Deepsea DSE6120 control unit: provides comprehensive information on Hyundai generator Stagell operation.

Provision for ATS: allows automatic Hyundai generator connection in the event of a power failure.

The Hyundai Stagell Three-Phase Silenced Generator is the ideal choice for:

Private homes: provides backup in the event of a blackout or to high-power electrical equipment.

Advanced monitoring: Get valuable information on the operation of your generator

with the Deepsea DSE6120 control unit, which provides comprehensive information.

Extended runtime: The large 40-litre fuel tank provides ample fuel capacity for extended operation,

keeping you fuelled for longer.

Built to last: IP23 protects the generator from water and dust, making it suitable for various environments.

Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:

Voltage: 230/400 V
Single/three-phase
Three-phase continuous use power: 20 KVA
Nominal power: 5.3/16 Kw
Max MF/TF Power: 5.8/17.5 Kw
Frequency: 50 Hz
Amperage: 29 A
Noise Level: 75 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H
Altitude: < 1000m asl
Engine: Fawde
Displacement: 2540 cc
Type of Injection: Direct
No. Cylinders: 4
Engine rpm: 1500/min
Emissions: Stage II
Consumption 100%/75%/50% of load: 3.2/2.4/1.6 l/h
Fuel: Diesel
Tank capacity: 40 L
Cooling System: Coolant
Control unit: DEEPSEA DSE6120
Total capacity of lubrication system: 8 L
Cap. total cooling system 6 L
Alternator Model: Lk184E
Exciter: Brushless - Auto - Excitation
Dimensions L x W x H: 1600 * 740 * 825 mm
Weight: 579 kg
Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	5.8
Continuous power three phase (KW)	20
Fuel	Diesel

Frequency (Hz)	50
Voltage (V)	230 / 400
Engine	4DW91-29D-YFD10W
Emissions Regulations	Stage 2
Engine rpm (rpm)	1500
Starting system	Elettrico
Engine capacity (cm ³)	2540
Number cylinders	4
Cooling	Liquid
Alternator	LK184E
Length (mm)	
Width (mm)	740
Height (mm)	825
Engine manufacturer	Fawde
Weight (Kg)	579