



BM2 STX 16015 High Pressure Washer 160 bar

Reference: 01SX02

BM2 STX 16015 HIGH PRESSURE WASHER 160 BAR

The BM2 STX 16015 High Pressure Washer 160 bar, with a pressure of 160 bar, represents excellence in high-pressure cleaning equipment. With its robust design and advanced technical features, it stands out for reliability, efficiency, and durability.

At the core of this product are the BM2 STX 16015 160 bar pumps, equipped with ceramic pistons and brass head, ensuring a constant and powerful flow. Their innovative design offers high efficiency and low maintenance, ensuring optimal long-term performance.

The motor, operating at 1450 rpm, provides consistent power and durability, while the AISI 430 stainless steel cover protects against corrosion and atmospheric agents.

The BM2 STX 16015 160 bar features a motor/pump coupling protection system with a special lubricant containment system, ensuring safe operation in any situation. The pressure regulation valve allows easy adjustment of the delivery power, while high-pressure detergent delivery ensures impeccable results on any surface.

The integrated boiler, with over 89% efficiency, ensures effective dirt removal even in tough conditions. Pre-ventilation and leakage control ensure safe and efficient use, minimizing energy and water consumption.

Its ergonomic design, with front bumper-handle and free-spinning, swivel wheels with brake, makes it easy to maneuver in any environment. Additionally, motor thermal protection ensures safe and reliable operation even in extreme conditions.

The BM2 STX 16015 160 bar is equipped with advanced features, including LED indication of diesel shortage with boiler shutdown and automatic shutdown after 20 minutes of inactivity. With a 35-liter tank capacity and a length of 956 mm, it offers high performance in a compact and versatile design.

In conclusion, the BM2 STX 16015 160 bar is the ideal choice for professionals and enthusiasts, thanks to its high performance, reliability, and ease of use. With a maximum pressure of 160 bar and a maximum flow rate of 900 Lt./h, it is ready to tackle any cleaning challenge with ease and precision.

Technical Features BM2 STX 16015:

Phase type: Three-phase
Supply voltage: 400 V
Frequency: 50 Hz
Maximum pressure: 160 bar - 16 Mpa - 2320 psi
Maximum flow rate: 900 Lt./h
Pump: IPE2
Shutoff System: ACDS
Pump rotation: 1450 rpm
Maximum power consumption: 4.7 KW
Power supply: 400V - 3ph - 50 Hz
Maximum temperature: 140 °C
Tank capacity: 35 lt
Detergent tank capacity: 3 lt
Length: 956 mm.
Width: 610 mm.
Height: 940 mm.
Weight: 143 kg.

BM2

Are you looking for a pressure washer with different characteristics? [HERE](#) you can find the entire BM2 range or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Technical Sheet

Phase	Three phase
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Pump type	IP E2
Maximum output capacity (Lt/min)	900
Tank capacity (L)	35
Transportability	Wheels and handles
Length (mm)	956
Width (mm)	610
Height (mm)	940
Dry weight (Kg)	143
Feed Type	400V - 3ph - 50Hz
maximum water temperature (°C)	140
Maximum input power (KW)	4.7
Pump rotation (rpm)	1450

Maximum pressure (bar-MPa-psi)	160 - 16 - 2320
Stop system	ACDS
Detergent tank	3
