



GENERAC VTEVO Y1 Light Tower 4x320W with Generator 3kw Stage V

Reference: LS06Y2L-4957EU

GENERAC VTEVO Y1 LIGHTER TOWER 4x320W with Generator

Generac VTEVO Y1 Tower Light 4x320W with Generator: Lighting and Power in One Solution

The Generac VTEVO Y1 Tower Light 4x320W with Generator is the complete answer to your autonomous and powerful lighting needs. In addition to the features already described in the version without a generator, this model integrates a power generator that allows you to use it anywhere, even in the absence of a power supply.

Main features:

- Powerful lighting: 4 LED lamps of 320 W each for a total of 188,160 lumens, capable of illuminating a large area of 4,500 m².
- Manual lifting system: Adjust the height of the light tower up to 8 metres to suit your needs.
- 340° pole rotation: Directs the light beam in any direction for complete illumination.
- Integrated power generator: Provides electrical power to the light tower and other equipment, ensuring autonomy in any situation.
- Yanmar L70N engine: Reliable, high-performance and quiet.
- Alternator and electrical outlets: Power other electrical devices with the 3.5/4.5 kVA alternator and 2 kVA electrical outlets.
- Low energy consumption: LED lamps and efficient generator reduce fuel consumption and emissions.
- Weather resistance: Withstands winds of up to 80 km/h and adverse weather conditions.
- 200-hour runtime: The large 120-litre fuel tank guarantees a long runtime.
- Compact dimensions: Easy to transport and store when folded (2480 x 1190 x 2450 mm).

TECHNICAL CHARACTERISTICS GENERAC VTEVO Y1 Tower Light 4x320W with Generator:

- Lamp power: 4 x 320 W
- Lamp type: LED
- Total lumens: 188160 Lm
- Illuminated area: 4500 m²
- Lifting system: Manual
- Pole rotation: 340°
- Engine: Yanmar L70N
- Engine cooling: Air
- Cylinders (N): 1
- Engine speed (50/60 Hz): 3000 - 3600 rpm
- Alternator (kVA/V/Hz): 3.5/220/50 - 4.5/240/60
- Electrical outlet (kVA/V/Hz): 2/220/50 - 2/240/60
- Average sound pressure: 66 dB(A) @ 7m
- Wind resistance: 80 km/h
- Tank capacity: 120 l
- Autonomy: 200 h

Minimum dimensions (W x D x H): 2480 x 1190 x 2450 mm
Maximum dimensions (W x D x H): 2480 x 2400 x 8000 mm
Dry weight: 658 kg
Stage V
Phase type: Single-phase

Are you looking for a product with different technical characteristics? [HERE](#) you can find the entire range of GENERAC lighting towers or other specialized brands.

Non-binding images and technical data.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	3
Engine	Yanmar
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000 - 3600
Number cylinders	1
Cooling	Air
Maximum height (m)	8
Type of lamps	LED
Lamps	4 x 320 W
Illuminated area (m ²)	4500
Total lumens (Lm)	188160
Lifting System	Manual lifting system
Mast rotation	340°
Open size (mm)	2480 x 2400 x 7500
Closed size (mm)	2480 x 1190 x 1950
With generator / Without generator	With generator
Stability to wind (Km/h)	80 Km/h
Fuel tank capacity (L)	120
Running time (h)	
Acoustic pressure	66 dB(A) at 7 m
Dry weight (Kg)	620
Engine manufacturer	Yanmar