



CUMMINS C1250D5AB Generator Set Three-phase 1250KVA Silenced Diesel

Reference: C1250D5AB

CUMMINS C1250D5AB Generator Set Three-phase 1250KVA Silenced Diesel

The CUMMINS C1250D5AB is a powerful three-phase electric generator designed to provide reliable and continuous power in large industrial and commercial applications. Thanks to its Cummins engine, this genset provides high performance and a long service life.

Key features:

Power: With a maximum output of 1250 kVA and a continuous output of 1125 kVA, this generator is capable of powering a wide range of electrical equipment, even under high load conditions.

Engine: Equipped with a robust Cummins KTA38-G9 diesel engine, synonymous with reliability and durability.

Voltage and frequency: Provides a voltage of 380-440 V and a frequency of 50 Hz, suitable for most industrial and commercial applications.

Dimensions and weight: With dimensions of 7136.6 mm x 2174.6 mm x 2447 mm and a dry weight of 12673 kg, this generator is of considerable size but offers high power.

Consumption: The fuel consumption is 196 litres per hour at 75% load, which is in line with the generator's performance.

Quietness: Thanks to the soundproofing system, the noise level is reduced, ensuring comfortable operation.

Electric start: The electric start makes starting the generator quick and easy.

Electronic speed regulator: Ensures precise frequency and voltage regulation.

Alternator: The S6G alternator guarantees high-quality power production.

Technical characteristics CUMMINS C1250D5AB:

Phase type: Three-phase

Continuous Power: 1125 KVA / 900 KW

Maximum Power: 1250 KVA / 1000 KW

Engine: Cummins KTA38-G9

Power supply: Diesel

Engine RPM: 1500 rpm

Starter: Electric

Speed Governor: Electronic

Voltage: 380-440 V

Frequency: 50 Hz

Consumption at 75 % load: 196 l/h

Length: 7136.6 mm

Width: 2174.6 mm

Height: 2447 mm

Dry weight: 12673 kg

Alternator: S6G

If you are looking for a product CUMMINS C1250D5AB with similar characteristics [CLICK HERE](#).

Images and data purely indicative.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	1000
Continuous power three phase (KW)	900
Maximum power three phase (KVA)	1250
Continuous power three phase (KVA)	1125
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	380-440
Speed governor	Electronic
Consumption (L/h)	196 at 75% load
Length (mm)	7136.6
Width (mm)	2174.6
Height (mm)	2447
Dry weight (Kg)	12673
Engine manufacturer	Cummins