



## Gys Super Pro Smart - Ev Charge Portable Charging Cable 230V-400V

Reference: 075320

### Gys Super Pro Smart - Ev Charge Portable Charging Cable 230V-400V

The **SUPER PRO SMART - EV CHARGE Portable Charging Cable 230V-400V** is a versatile and powerful charging solution designed to meet the needs of professionals working with electric and plug-in hybrid vehicles. This smart and portable charging cable allows the user to charge their vehicle as quickly as possible, adapting to the available power outlets (230V and 400V), offering rapid charging up to 32A.

#### Main Features:

##### Portability:

Compact and lightweight design for easy transport.

Case included with a handle for added convenience.

##### Versatility:

Compatible with 230V and 400V outlets.

Two interchangeable power cables to fit different outlets (including 32A).

##### Rapid Charging:

Maximizes charging speed based on the available outlet.

Rapid charging up to 32A to reduce waiting times.

##### Professional Design:

Ideal for workshop mechanics and professionals on the go.

Compact case with handle for easy transport.

##### Smart Features:

Intuitive interface with a digital display for easy configuration.

Ability to save settings for daily charging.

Delayed start function to take advantage of "off-peak" rates.

Safety and Durability:

Complies with IEC 61851-1, EN 62752, and EN 62196 standards.

Case and charging cable with IP65 rating (dust and rain resistant).

Benefits for Professionals:

Time Saving: Rapid charging and adaptability to various outlets.

Mobility: Easy to transport and use in different locations.

Ease of Use: Intuitive interface and smart functions.

Reliability: Compliance with standards and durable design.

The **SUPER PRO SMART - EV CHARGE Portable Charging Cable 230V-400V** is the ideal solution for professionals in need of a reliable, versatile, and high-performance portable charging cable for their electric and plug-in hybrid vehicles.

Technical Features of the **SUPER PRO SMART - EV CHARGE Portable Charging Cable**:

Frequency (Hz): 50 / 60  
Voltage: 230V - 400V  
Charging Plug: Type 2  
Phase Type: Single-phase / Three-phase  
Current (A): from 6 to 32 A  
Maximum Single-phase Power (KW): 7.4  
Maximum Three-phase Power (KW): 22  
Weight (Kg): 4.5  
Product Dimensions (mm): 230 x 160 x 90  
IP Protection: IP65  
Charging Cable: 6 m

If you are looking for a product with similar features, click [HERE](#).  
Images and technical data are purely indicative and may be revised by the manufacturer.

## Technical Sheet

Phase	Single phase / Three phase
Maximum power single phase (KW)	7.4
Maximum power three phase (KW)	22
Frequency (Hz)	50 / 60
Product dimensions (mm)	230 x 160 x 90
Current (A)	6 to 32 A
Weight (Kg)	4.5
Video	qwtBSnZws2E
Charging cable	6 m
Voltaggio	230V - 400V

---

Charging socket	Type 2
IP Protection	IP65

---