



## GYS BOOSTER LITHIUM NOMAD POWER PRO 12XL 12V

Reference: 025912

### GYS BOOSTER LITHIUM NOMAD POWER PRO 12XL

The **GYS BOOSTER LITHIUM NOMAD POWER PRO 12XL** is a multifunctional portable power solution, designed to provide high performance and versatility in various situations. It combines the ability to jump-start vehicles with dead batteries, power electronic devices, and provide emergency lighting.

#### Main Features:

##### Vehicle Booster 12V:

Jump-starts 12V vehicles with dead batteries in seconds (motorcycles, cars, SUVs, vans, tractors, boats).  
Start-up current of 1000A and peak battery current of 3000A.  
Compatible with lead-acid batteries (liquid, gel, AGM, Start&Stop).

Warning: Not compatible with LiFePO4 lithium batteries.

##### Portable Power Supply:

8 Ah capacity to power electronic devices.  
2 USB 5V-2.1A ports for smartphones, tablets, GPS.  
1 output port 12V-3.5A for refrigerators, fans, etc.  
Built-in power bank.

##### Emergency Lighting:

Integrated LED lamp with 3 modes: normal, strobe, SOS.  
28 high-brightness LEDs.

##### Advanced Safety:

Anti-spark technology.  
Protection against short circuits and reverse polarity.  
Protection against excessive starting currents and overheating.

**LCD Display:**  
Displays the battery charge percentage and the used input/output ports.

**Connectivity:**  
USB-C and Lightning ports.

The GYS BOOSTER LITIO NOMAD POWER PRO 12XL is an essential tool for anyone looking for a versatile and reliable power solution, ideal for use on the road, in the workshop, or in emergency situations.

**Technical Features:**

Capacity per cell: 8 Ah 118.4 Wh  
Full charge: 10 h  
Start: 1000 A  
Manual crank DC: 1800 A  
Peak Battery: 3000 A  
USB-C: YES  
Lightning: Yes  
INPUT: 18 V - 2 A  
OUTPUT: 5 V - 2.1 A (x2) - 12 V 3.5A  
Power bank: Yes  
LED Light: Light / SOS / SPOT  
Product Dimensions: 278 x 110 x 274 mm  
Weight (Kg): 5.6

If you are looking for a product with similar features [click HERE](#).  
Images and technical data are purely indicative and may be revised by the manufacturer.

## Technical Sheet

Product dimensions (mm)	278 x 110 x 274
Weight (Kg)	5.6
Capacity per cell	8 Ah 118.4 Wh
Power bank	Yes
LED light	Light / SOS / SPOT
Full charge	10 h
Start	1000 A
Crank CC	1800 A
Peak Battery	3000 A
USB-C	Si
Lightning	Si
INPUT	18 V - 2 A
OUTPUT	5 V - 2.1 A (x2) - 12 v 3.5A