



LUXTOWER LUX H11PLUS LED Lighting Tower 4x320W Fast Towing

Reference: LUX H11PLUS TV

LUXTOWER LUX H11PLUS LED LIGHT TOWER 4x320W FAST TRAILER

The LUXTOWER LUX H11PLUS LED Light Tower 4x320W Fast Trailer is a high-performance portable lighting solution designed to provide superior power in demanding work environments. Equipped with advanced LED technology, this LUXTOWER LUX H11PLUS Fast Trailer, ensures exceptional lighting across large areas, combining energy efficiency, robustness, and ease of use. Ideal for construction projects, outdoor events, or any industrial application that requires powerful and reliable lighting, the LUXTOWER LUX H11PLUS is the perfect choice for those seeking a versatile, high-quality product.

High-performance Lighting LUXTOWER LUX H11PLUS:

MULTILED projectors / 4 x 320W

Illuminated area: up to 9300 m²

Adjustable projectors with manual mast rotation of 340°

Maximum height: 8 m thanks to the telescopic mast with hydraulic lifting

Technical Features of LUXTOWER LUX H11PLUS Fast Trailer:

Engine: KUBOTA Z482 - 2 cylinders, 1500 RPM

Generator power: 3.5 kVA - 230V

Frequency: 50 Hz

Fuel consumption: 0.55 l/h

Autonomy: up to 145 hours

Mast rotation: 340°

Lamp type: LED

Auxiliary socket: 1.3 kVA - 230V

Ease of Use LUXTOWER LUX H11PLUS Fast Trailer:

Road-legal trailer for practical and safe transportation

Adjustable towbar for greater flexibility during transport

80-liter fuel tank for long operational duration

Durable and Safe Structure of LUXTOWER LUX H11PLUS Fast Trailer:

Machine body: made of galvanized steel and powder-coated for corrosion resistance

IP23 protection rating for safe outdoor use in adverse weather conditions

Silenced: 65 dB(A) at 7 m, ideal for low-noise environments

Advanced Control LUXTOWER LUX H11PLUS:

Dusk sensor for automatic activation

DSE3110 control panel with selector for Auto mode and choice between grid or generator

The LUXTOWER LUX H11PLUS LED 4x320W Fast Trailer is the ideal solution for those looking for a powerful and efficient light tower that combines intense lighting with high durability and performance features. With its advanced technology and ease of use, this light tower is the perfect choice for various industrial and construction applications.

If you are looking for other light towers like the LUXTOWER H11PLUS Fast Trailer but with different technical features, you can browse our full catalog dedicated to [light towers](#) from LUXTOWER or other brands.

Images and technical data are non-binding. Please always consult the technical datasheet provided by the manufacturer. Manel Service is not responsible for any changes made by the manufacturer.

Technical Sheet

Phase	Single phase
Maximum power single phase (KVA)	3.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	Kubota Z482
Emissions Regulations	Stationary Use
Engine rpm (rpm)	1500
Starting system	Elettrico
Number cylinders	2
Cooling	Liquid
Alternator	Linz Synchronous or equivalent
Protection degree	IP23
Maximum height (m)	8

Type of lamps	LED
Lamps	4 x 320 W
Telescopic pole	Vertical
Illuminated area (m ²)	9300
Lifting System	Hydraulic lifting system
Mast rotation	340°
With generator / Without generator	With generator
Stability to wind (Km/h)	80 Km/h
Fuel tank capacity (L)	80
Consumption (L/h)	0.55
Running time (h)	145
Acoustic pressure	65 dB(A) at 7 m
Silenced	Yes
Super silenced	Yes
Product type	Light tower
Engine manufacturer	Kubota
Auxiliary socket (kVA)	1.3
Dimensioni min. (mm)	1800 X 1400 X 2600
Dimensioni max. (mm)	2400 X 2500 X 8000
Peso a secco - Timone fisso (Kg)	800
Peso a seco - Timone Regolabile (Kg)	850