



Generator Set Three Phase 400v 143KVA Silenced

Reference: GE130B

Generator set Three Phase 400v 143KVA Silenced

The Generator set Three Phase 400v 143KVA Silenziato is a robust and reliable power solution, designed to provide stable three-phase power in a variety of applications. With a maximum power of 143 KVA (114.4 KW), this diesel generator is ideal for powering industrial and commercial equipment or as an emergency power system.

Main Features:

High Power: With 143 KVA of maximum power, this generator set can handle high three-phase loads.

Reliable Engine: The Baudouin 6M11G2D0/S engine ensures high performance and long durability.

Silent Operation: The soundproof canopy ensures low-noise operation, with a sound pressure of only 69 dB(A) at 7 meters.

Long Autonomy: The 250-liter fuel tank and efficient fuel consumption allow for an autonomy of approximately 9.6 hours.

AVR Regulation: The AVR voltage regulator ensures stable output voltage, protecting connected equipment.

Customizable Options: The optional ATS switch panel allows for automatic switching to emergency power.

Robust Construction: Designed to withstand harsh conditions, with dimensions of 3200 x 1100 x 2090 mm and a weight of 1995 kg.

Technical Features:

Phase type: Three-phase

Maximum three-phase power (KVA): 143

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Engine: BAUDOUIN 6M11G2D0/S

Engine speed (rpm): 1500

Speed governor: Electronic

Starting: Electric

Displacement (cm³): 6750

Number of cylinders: 6

Cooling: Water

Alternator: STAMFORD - MECC ALTE - MARELLI MOTORI

Fuel tank capacity (L): 250
 Consumption (L/h): 34.2 at 100% load
 Autonomy (h): 9.6
 Sound pressure: 69 dB(A) at 7 m
 Length (mm): 3200
 Width (mm): 1100
 Height (mm): 2090
 Weight (Kg): 1995
 Silenced: Yes
 Bore x stroke (mm): 105 x 130
 Product type: Generator set
 ATS switch panel: Optional
 Voltage regulator: AVR
 Engine brand: Baudouin
 Emission standard: Non-Emissioned
 Maximum three-phase power (KW): 114.4

If you are looking for another product like this generator set, you can consult our catalog for other [land generator sets](#).
 Images and technical data are non-binding.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	114.4
Maximum power three phase (KVA)	143
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	BAUDOUIN 6M11G2D0/S
Emissions Regulations	NON EMISSIONATO
Engine rpm (rpm)	1500
Speed governor	Electronic
Starting system	Elettrico
Engine capacity (cm ³)	6750
Number cylinders	6
Cooling	Water
Alternator	STAMFORD - MECC ALTE - MARELLI MOTORI
Bore x stroke (mm)	105 x 130
Fuel tank capacity (L)	250
Consumption (L/h)	34.2 at 100% load
Running time (h)	9.6
Acoustic pressure	69 dB(A) at 7 m

Length (mm)	3200
-------------	------

Width (mm)	1100
------------	------

Height (mm)	2090
-------------	------

Silenced	Yes
----------	-----

Product type	Generator
--------------	-----------

ATS Switch device	Optional ATS
-------------------	--------------

Voltage regulator	AVR
-------------------	-----

Engine manufacturer	BAUDOIN
---------------------	---------

Weight (Kg)	1995
-------------	------
