



CUMMINS ONAN MDKDP MARINE GENERATOR 13.5KVA 50Hz THREE-PHASE STAGE3A - EPA

Reference: A051Z328

CUMMINS ONAN MDKDP 13.5 KVA 50Hz THREE-PHASE MARINE GENERATOR SET STAGE3 - EPA

The CUMMINS ONAN MDKDP 13.5 KVA 50Hz THREE-PHASE MARINE GENERATOR SET STAGE3 - EPA is a high-quality marine diesel generator, designed to provide reliable and constant power in demanding marine environments. With a power output of 13.5 kVA and a frequency of 50 Hz, this three-phase generator set is ideal for powering medium and large-sized vessels, ensuring the operation of all onboard electrical equipment.

Key Features:

Power and Performance:

Delivers a power output of 13.5 kW, sufficient to power a wide range of marine devices.

Operates at 50 Hz, the European standard for electrical power supply.

Provides three-phase voltage at 220/380 V, to power high-power equipment.

Reliable Diesel Engine:

Powered by a robust and efficient Kubota diesel engine, designed for prolonged marine use.

Ensures reliable operation and long service life.

Advanced Cooling System:

Equipped with a water cooling system, for efficient and quiet cooling.

Keeps the engine temperature under control, even under high load conditions.

Safety and Protection:

Includes a 24 V power supply system, for increased electrical safety.

Equipped with an acoustic shield, to minimize noise during operation.

Robust and Compact Design:

With dimensions of 1139x602x698 mm and a dry weight of 408 kg, this generator is easy to install.

Environmental Compliance:

Emission standard Stage III / EPA.

Technical Specifications:

Phase type: Three-phase

Maximum three-phase power (KW): 13.5

Maximum three-phase power (KVA): 13.5

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 220/380

Engine: Kubota

Engine speed (rpm): 1500

Start: Electric

Number of cylinders: 4

Cooling: Water

Number of poles: 4

Length (mm): 1139

Width (mm): 602

Height (mm): 698

Dry weight (Kg): 408

Silenced: Yes

Super silenced: Yes

Product type: Generator set

Engine brand: Kubota

Emission standard: Stage III / EPA

Power supply: 24 V

Looking for a product with different technical characteristics? [HERE](#) you can find the area dedicated to CUMMINS ONAN vehicle generators or other specialized brands.

Images and technical data are not binding. Always consult the technical data sheet issued by the manufacturer. Manel Service does not assume responsibility for any changes made by the manufacturer.

Technical Sheet

Phase	Three phase
Maximum power three phase (KW)	13.5
Maximum power three phase (KVA)	13.5
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	220/380
Engine	Kubota
Emissions Regulations	Stage III / EPA
Engine rpm (rpm)	1500
Starting system	Elettrico
Number cylinders	4
Cooling	Water
Poles	4
Length (mm)	1139
Width (mm)	602
Height (mm)	698
Dry weight (Kg)	408
Silenced	Yes
Super silenced	Yes
Feed Type	24 V
Product type	Generator
Engine manufacturer	Kubota