



## IDROFOGLIA LZ25W-444LBd/SP Motor pump 200m<sup>3</sup>/h StageV

Reference: IF444LB

### IDROFOGLIA LZ25W-444LBd/SP Motor Pump 200m<sup>3</sup>/h StageV

IDROFOGLIA LZ25W-444LBd/SP Motor Pump 200m<sup>3</sup>/h StageV is a high-performance diesel motor pump, designed for applications that require a powerful and constant water flow. With a maximum flow rate of 200 liters per minute, this motor pump is ideal for agricultural irrigation, construction site drainage, and other activities that require efficient pumping.

#### Key Features:

##### Powerful and Efficient Engine:

KOHLER KDW 1404 diesel engine

4 cylinders, 1372 cm<sup>3</sup> displacement

Liquid cooling

Electric start

Compliant with Stage V emission standards

##### Pumping Performance:

Maximum flow rate: 200 liters/minute

Delivery and suction diameter: 4 inches

Maximum suction: -8 meters

##### Robust Construction:

Cast iron pump body

Self-priming pump

#### Technical Details:

Fuel: Diesel

Engine: KOHLER KDW 1404

Start: Electric

Displacement: 1372 cm<sup>3</sup>

Number of cylinders: 4

Cooling: Liquid

Maximum suction: -8 m

Delivery diameter: 4"

Delivery diameter: 4"

Maximum flow rate: 200 Lt/min

Main body material: Cast iron

Pump type: SELF-PRIMING PUMP

Engine Brand: Kohler

Emission Standards: Stage 5

If you are looking for a product with different technical characteristics [CLICK HERE](#).

Images and technical data are not binding. Always consult the technical data sheet issued by the manufacturer.  
Manel Service does not assume responsibility for any changes made by the manufacturer.

## Technical Sheet

Fuel	Diesel
Engine	Kohler KDW 1404
Emissions Regulations	Stage 5
Starting system	Elettrico
Engine capacity (cm <sup>3</sup> )	1372
Number cylinders	4
Cooling	Liquid
Pump type	SELF-PRIMING PUMP
Maximum output capacity (Lt/min)	200
Main body material	Ghisa
Outlet diameter thread type (mm/inches)	4"
Length (mm)	2300
Width (mm)	1160

---

Height (mm)	1550
Engine manufacturer	Kohler
Weight (Kg)	500
Maximum suction	-8 m

---