

PRAMAC GSW200V COFANATO CON QUADRO COMANDO AUTOMATICO

Reference: SU171TWA002



Technical Sheet

| | |
|------------------------------------|--|
| Phase | Three phase |
| Maximum power three phase (KW) | 156.8 |
| Continuous power three phase (KW) | 143.22 |
| Maximum power three phase (KVA) | 196 |
| Continuous power three phase (KVA) | 179.02 |
| Fuel | Diesel |
| Frequency (Hz) | 50 |
| Voltage (V) | 400 |
| Engine | VOLVO TAD752GE, turbo intercooled |
| Emissions Regulations | Stage 3A |
| Speed governor | Electronic |
| Starting system | Electric |
| Engine capacity (cm ³) | 7150 |
| Number cylinders | 6 |
| Cylinders' position | In line |
| Oil capacity (L) | 34 |
| Cooling | Water |
| Alternator | Mecc Alte ECO38-1SN/4, brushless |
| Poles | 4 |
| Fuel tank capacity (L) | 350 |
| Consumption (L/h) | 32.6 at 75% of the load / 40.5 at 100% of the load |

| | |
|---------------------|---|
| Running time (h) | 10.7 at 75% of the load / 8.6 at 100% of the load |
| Acoustic power | 94 dB(A) |
| Acoustic pressure | 65 dB(A) at 7 m |
| Length (mm) | 3400 |
| Width (mm) | 1250 |
| Height (mm) | 1980 |
| Dry weight (Kg) | 2224 |
| Silenced | Yes |
| Super silenced | Yes |
| ATS Switch device | Optional ATS |
| Voltage regulator | AVR |
| Engine manufacturer | Volvo |