



## GENSET MG 10001 SS-KL - GENERATOR 10 KVA

Reference: MG10001 SS-KL

### GENSET MG 10001 SS-KL SINGLE PHASE GENERATOR 10KVA

GENSET MG 10001 SS-KL Single-phase generating set with Kubota D1105 StageV engine powered by diesel, capable of delivering a maximum power of 10KVA.

The GENSET MG 10001 SS-KL generator set is compact and easy to use, equipped with enclosure that lowers noise emissions and makes it super-silenced.

The GENSET MG 10001 SS-KL is a single-phase 10KVA diesel generator set with electric start. This generator is also available in a version with an automatic panel and remote control.

Thanks to its compact size and very low weight, the GENSET MG 10001 SS-KL is a lightweight generator that is easy to transport. The GENSET MG 10001 SS-KL also has a low fuel consumption: only 2 Lt/h at 75% load.

The GENSET MG 10001 SS-KL generator set, thanks to the high quality and efficiency of its components, is ideal for various types of work: from small hobby work to large construction sites.

The GENSET MG 10001 SS-KL generator set includes:

- Battery 12 V
- 1 single-phase socket CEE 230V - 32A
- 1 single-phase socket CEE 230V - 16A
- 1 single-phase socket SCHUKO 230V - 16A
- Thermal protection
- Differential switch
- Emergency stop button
- Fuel level indicator
- Hour meter
- Bulb presence voltage 230V
- Central lifting hook
- Arrangement for operation in AMF-ATS or Remote Control
- Automatic engine stop device with warning lights for:
  - battery charge failure
  - high water temperature
  - low oil pressure

TECHNICAL FEATURES GENSET MG 10001 SS-KL

Phase Type: SinglePhase  
Maximum SinglePhase Power: 10 KVA / 8 KW

Continuous SinglePhase Power: 9 KVA / 7.2 KW  
VAC Voltage: 230 V  
Frequency (Hz): 50  
Starting Frame: Electric  
Motor: Kubota D1105  
Emission Standard: Stage V  
RPM: 1500  
Power supply: Diesel  
Fuel tank capacity: 30 l  
Consumption @ 75 % load: 2 l/h  
Autonomy @ 75 % load: 15 h  
Sound pressure: 90 dB(A)  
Length: 1360 mm  
Width: 675 mm  
Height: 860 mm  
Net weight: 330 kg

Are you looking for a generator with different technical characteristics? [Here](#) you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

## Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	8
Continuous power single phase (KW)	7.2
Maximum power single phase (KVA)	10
Continuous power single phase (KVA)	9
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	1 x 230V 16A CEE - 1 x 230V 32A CEE - 1 x 230V 16A SCHUKO
Engine	Kubota D1105
Emissions Regulations	Stage 5
Engine rpm (rpm)	1500
Starting system	Electric
Engine capacity (cm <sup>3</sup> )	1123
Number cylinders	3
Cooling	Water
Alternator	Synchronous
Protection degree	IP23

Motor insulation class	H
Fuel tank capacity (L)	30
Consumption (L/h)	2
Running time (h)	15
Acoustic power	90 dB(A)
Acoustic pressure	65 dB(A) at 7 m
Length (mm)	1360
Width (mm)	674
Height (mm)	860
Dry weight (Kg)	330
Silenced	Yes
Super silenced	Yes
Product type	Generator
ATS Switch device	Optional ATS
Voltage regulator	No
Engine manufacturer	Kubota