



MASE MARINER 910 S SILENCED SINGLE-PHASE MARINE GENERATOR 8.6 KW

Reference: 003028

MASE MARINER910S SILENCED SINGLE-PHASE MARINE GENERATOR 8.6KW

MASE MARINER910S single phase silenced marine generator is equipped with a KUBOTA Z722 diesel engine capable of delivering a maximum power of 8,6 KW at 3000 rpm.

The marine generator MASE MARINER910S is built with and synchronous alternator, self-excited with air cooling, it is extremely compact and powerful, suitable even on small boats.

The MASE MARINER910S allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER910S is synchronous with 2 poles, self-regulated, self-excited, brushless, which in combination with the powerful KUBOTA engine can deliver a maximum power of 8.6 kW. The rotor and the stator are coated with epoxy paint to prevent the attack of atmospheric agents, in addition it is equipped with safety systems of auto stop in case of high temperatures detected on the windings.

The marine generator MASE MARINER910S is equipped with a soundproof cabin that makes it super silenced, with a sound emission of 55dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER910S

Phase Type: Single Phase
Maximum Power: 8.6KW
Continuous Use Power: 7.8 KW
Fuel: Diesel
Voltage: 115 - 230 V
Frequency: 50 Hz
Motor: KUBOTA Z722, 4 Stroke
Mechanical Power: 16.6 Hp
Number of Cylinders: 3
Displacement: 719 cc
RPM Regulator: Mechanical Centrifugal
Engine RPM: 3000 rpm
Fuel Consumption: 3.2 l/h
Acoustic pressure: 55dB(A) @ 7 m
Length: 730 mm
Width: 468 mm
Height: 555 mm

Weight: 185 Kg

If you are looking for another MASE marine generator then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	8.6
Continuous power single phase (KW)	7.8
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	KUBOTA D722, 4 stroke
Engine rpm (rpm)	3000
Speed governor	Centrifugal, mechanical
Engine capacity (cm ³)	722
Number cylinders	3
Cooling	Air
Inyección	Indirect
Alternator	Synchronous, self-excited
Poles	4
Lubrication	Forced
Acoustic pressure	55 dB(A) at 7 m
Length (mm)	730
Width (mm)	468
Height (mm)	555
Dry weight (Kg)	185
Inverter	No
AVR	No
Compound	No
Silenced	Yes
Super silenced	Yes
Product type	Generator
Engine manufacturer	Kubota