



MASE MARINER 2400 S SINGLE PHASE SILENCED MARINE GENERATOR 26 KW

Reference: 002584

MASE MARINER 2400 S SILENCED SINGLE-PHASE MARINE GENERATOR 26 KW

MASE MARINER2400S single phase silenced marine generator is equipped with a Yanmar 4TNV98 diesel engine capable of delivering a maximum power of 26 KW at 1500 rpm.

The MASE MARINER2400S is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, also suitable on small boats.

The MASE MARINER2400S allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER2400S is synchronous with 4 poles, self-regulated, self-excited, brushless, which in conjunction with the powerful Yanmar engine can deliver a maximum power of 26 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current as the home.

The MASE MARINER2400S marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 54 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER2400S

Phase Type: Single Phase

Maximum output: 26 KW

Continuous Use output: 24 KW

Fuel: Diesel

Voltage: 115 - 230 V

Frequency: 50 Hz

Engine: Yanmar 4TNV98, 4 Stroke

Mechanical Power: 47 Hp

Number of Cylinders: 4

Displacement: 3319 cc

Engine RPM: 1500 rpm

Fuel Consumption: 6.4 l/h

Sound pressure: 54 dB(A) @ 7 m

Alternator: Synchronous Brushless

Voltage regulator: AVR

Length: 1295 mm

Width: 630 mm

Height: 810 mm

Weight: 595 Kg

If you are looking for another marine generator then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	26
Continuous power single phase (KW)	24
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	Yanmar 4TNV98, 4 stroke
Engine rpm (rpm)	1500
Speed governor	Centrifugal, mechanical
Engine capacity (cm ³)	3319
Number cylinders	4
Oil capacity (L)	10.5
Cooling	Air
Inyección	Direct
Alternator	Synchronous, self-excited
Poles	4
Compression ratio	18 : 1
Lubrication	Forced
Consumption (L/h)	6.4
Acoustic pressure	54 dB(A) at 7 m
Length (mm)	1295
Width (mm)	630
Height (mm)	810
Dry weight (Kg)	595
Inverter	No
AVR	Yes
Compound	No
Silenced	Yes

Super silenced	Yes
Product type	Generator
Voltage regulator	AVR
Engine manufacturer	Yanmar
