



MASE MARINER 2700 S SINGLE PHASE SILENCED MARINE GENERATOR 29 KW

Reference: 002585

MASE MARINER 2700 S SILENCED SINGLE-PHASE MARINE GENERATOR 29 KW

MASE MARINER2700S single phase silenced marine generator is equipped with a Yanmar 4TNV98 diesel engine capable of delivering a maximum power of 29 KW at 1500 rpm.

The MASE MARINER2700S is built with and synchronous alternator, self-excited with air cooling, is extremely compact and powerful, also suitable on small boats.

The MASE MARINER2700S allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER2700S is synchronous with 4 poles, self-regulated, self-excited, brushless, which in conjunction with the powerful Yanmar engine can deliver a maximum power of 29 KW.

The MASE MARINER2700S marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 56 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER2700S

Phase Type: Single Phase
Maximum Power: 29 KW
Continuous Use Power: 27 KW
Fuel: Diesel
Voltage: 115 - 230 V
Frequency: 50 Hz
Engine: Yanmar 4TNV98, 4 Stroke
Mechanical Power: 47 Hp
Number of Cylinders: 4
Displacement: 3319 cc
Engine RPM: 1500 rpm
Fuel Consumption: 10.8 l/h
Sound pressure: 56 dB(A) @ 7 m
Alternator: Synchronous Brushless
Voltage regulator: AVR
Length: 1295 mm
Width: 630 mm
Height: 810 mm
Weight: 595 Kg

If you are looking for another marine generator then you can browse the entire catalog of [marine generators](#).

Images and technical data are not binding.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	29
Continuous power single phase (KW)	27
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	115 / 230
Engine	Yanmar 4TNV98, 4 stroke
Engine rpm (rpm)	1500
Speed governor	Centrifugal, mechanical
Engine capacity (cm ³)	3319
Number cylinders	4
Oil capacity (L)	10.5
Cooling	Air
Inyección	Direct
Alternator	Synchronous, self-excited
Poles	4
Lubrication	Forced
Consumption (L/h)	10.8 at 100% of the load
Acoustic pressure	56 dB(A) at 7 m
Length (mm)	1295
Width (mm)	630
Height (mm)	810
Dry weight (Kg)	595
Inverter	No
AVR	Yes
Compound	No
Silenced	Yes
Super silenced	Yes

Product type	Generator
Voltage regulator	AVR
Engine manufacturer	Yanmar
