

MASE EA 50 GH

Reference: 001751



MASE EA 50 GH SINGLE-PHASE GENERATOR 5KW

MASE EA 50 GH is a single-phase generator equipped with a Honda GX270 gasoline engine, capable of delivering a maximum power of 5KW.

The MASE EA 50 GH single-phase generator provides reliable power for home, work and leisure environments, safely powering home appliances and other electronic devices.

The generator is as easy to install and operate as it is to start and stop thanks to clear, intuitive controls. MASE EA 50 GH is equipped with a Honda GX270 gasoline engine. They are very reliable engines that provide efficient combustion and **low fuel consumption**. The engines with which the generators are equipped are also equipped with a protection system that causes the engine to stop if the oil level is too low.

MASE EA 50 GH is a stationary use machine, before commissioning, you must first secure the generator firmly to the ground. The MASE EA 50 GH are equipped with **5.3litre** tank with a large cap that is convenient to unscrew even with work gloves

MASE EA 50 GH has an all-steel structure and a large metal tank. The generator guarantees an efficient and silent operation thanks to the Honda GX270 engine which allows to deliver a maximum power of 5KW.

The generator set in the standard equipment, is composed of 2 single-phase 230 V Schuko sockets and a 12V battery charger output.

On express request of the customer it is possible the additional supply of the transport trolley for the MASE EA 50 GH, the increased tank of 25 l and the voltage regulator AVR.

TECHNICAL CHARACTERISTICS MASE EA 50 GH

Maximum Single-Phase Power: 5 KW

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Engine: Honda GX270 OHV

Engine RPM: 3000 rpm

Engine Displacement: 270 cm³

Cooling: Air

Start: Manual

Tank Capacity: 5.3 l

Consumption: 2.2 Lt/h at 75% load

Acoustic power: 96 dB (71 dB at 7 m)

Protection class: IP 23

Length: 770 mm
 Width: 480 mm
 Height: 625 mm
 Weight: 60 kg

Are you looking for a power generator with different characteristics? [Here](#) you can find the full range of products MASE or other brands specializing in the field

Images and technical data are not binding and may be subject to revision by the supplier.

Technical Sheet

Phase	Single phase
Maximum power single phase (KW)	5
Fuel	Gasoline
Frequency (Hz)	50
Voltage (V)	230
Sockets configuration	2 x 230V SCHUKO
Engine	Honda GX270, 4 stroke, OHV
Emissions Regulations	Stage 5
Engine rpm (rpm)	3000
Ignition	Recoil
Starting system	Manual
Engine capacity (cm ³)	270
Number cylinders	1
Cooling	Air
Alternator	Synchronous
Fuel tank capacity (L)	5.3
Consumption (L/h)	2.2 at 75% of the load
Acoustic power	96 dB(A)
Acoustic pressure	71 dB(A) at 7 m
Length (mm)	720
Width (mm)	480
Height (mm)	625
Dry weight (Kg)	60
Silenced	No
Super silenced	No
ATS Switch device	No ATS
Voltage regulator	Capacitor / AVR (optional)

Engine manufacturer

Honda
