



## VTE PAGURO 8500 Marine Generator 10 kVA 60 Hz Supersilenced

Reference: AP08511560S0

### VTE PAGURO8500 Super-silenced 8.5 KVA Genset

PAGURO8500 marine genset Super-silenced 60 Hz single-phase 8.5 KVA, with Lombardini 1800 rpm diesel engine and water-cooled with stainless steel water/air heat exchanger.

To prevent damage to parts in contact with seawater, the components are all made of 316 L stainless steel.

The noise emissions of 49 dB(A) of the VTE PAGURO8500 super-silenced 60 Hz marine genset are reduced to a minimum because it is water-cooled and has a double anti-vibration system, making it one of the quietest of its kind.

The PAGURO8500 Supersilenced 60 Hz marine genset with 1800 rpm motor is compact and space-saving and is suitable for use on medium-sized boats, excellent for powering your boat in complete peace of mind. With the 60 Hz frequency this generator is perfect for other countries where 1800 rpm motors are needed.

#### The remote control consists of:

- Remote control with LCD display.
- Hour meter, load indicator, motor frequency/speed.
- Automatic stop for low oil pressure and/or over-temperature.
- Quick connector and 15 metres of cable.
- Automatic start.

#### Paguro8500 Features Supersilenced:

Fuel: Diesel  
Engine speed (rpm): 1800  
Phase type: Single-phase  
Single-phase continuous power (KVA): 8.5  
Frequency (Hz): 60  
Voltage (V): 115  
Engine: Lombardini LDW 1404  
Starter: Electric  
Silenced: Supersilenced 49 dB(A)  
Cooling: Fresh water with heat exchanger  
Dry weight (Kg): 200  
Length (mm): 860  
Width (mm): 560  
Height (mm): 650

#### Engine

The Lombardini diesel-powered engine makes the PAGURO8500 super-silenced marine genset efficient and reliable. Designed with stainless steel water/air heat exchanger.

## Alternator

The alternator is synchronous, brushless and with class H insulation. The capacitor regulation makes the PAGURO8500 marine genset excellent for powering sensitive electronic devices that fear voltage and current fluctuations (e.g. PCs, smartphones or household appliances).

It is also water-cooled via an AISI 316 L stainless steel heat exchanger.

Included with the PAGURO8500 Supersilenced alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this marine genset one of the most silent compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, internal with 4 soft mounts and external with 4 semi-elastic mounts, makes the PAGURO8500 stable even in less calm waters and silenced, so you can enjoy your navigation without further worries.

If you are looking for a different kind of product, you can consult our entire catalogue of marine gensets click [HERE](#).

Non-binding images and technical data.

## Technical Sheet

Phase	Single phase
Continuous power single phase (KW)	8.5
Continuous power single phase (KVA)	8.5
Fuel	Diesel
Frequency (Hz)	60
Voltage (V)	115
Engine	Lombardini LDW1404
Engine rpm (rpm)	1800
Starting system	Elettrico
Number cylinders	4
Cooling	Fresh water with heat exchanger
Alternator	Synchronous, brushless
Consumption (L/h)	0.35
Acoustic pressure	49 dB(A)
Length (mm)	860
Width (mm)	580
Height (mm)	650
Dry weight (Kg)	200
Silenced	Yes
Super silenced	Yes
Product type	Generator

---

Engine manufacturer

LOMBARDINI

---