



TECNOGEN SD210LTE

Reference: SD210LTE

TECNOGEN SD210LTE MOTORWALDER 7KVA

TECNOGEN SD210LTE is a motorwelder equipped with a Lombardini 15LD440 gasoline engine, capable of delivering a three-phase power of 7KVA.

TECNOGEN SD210LTE is a motorwelder with a welding current of 120 to 160A max., with an air-cooled, 3600 RPM max. gasoline engine in an open frame complete with recoil starter.

TECNOGEN SD210LTE is equipped with a sturdy frame to protect a powerful Lombardini 15LD440 engine capable of delivering a three-phase power of 7KVA with a maximum load consumption of 2.4 L/h.

TECNOGEN SD210LTE is with electric start with 12V battery supplied with acid or manual with self-winding, with control panel QM115 composed of three-phase CEE socket 2P+T 16A, thermal protection, three-phase Schuko socket 2P+T 16A.

Technical characteristics TECNOGEN SD210LTE

Welding at 60%: 170
Maximum three-phase power: 7 KVA
Fuel: Diesel
Voltage: 400V
Engine: Lombardini 15LD440
Boosting: Electric
Length: 920 mm
Width: 520 mm
Height: 660 mm
Weight: 115 Kg

Are you looking for a motorwelding with different technical characteristics? [Here](#) you can find the full range of TECNOGEN and other specialized brands.

The images are purely indicative.

Technical Sheet

Phase

Three phase

Maximum power single phase (KVA)	3.5
Maximum power three phase (KVA)	7
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	400
Engine	LOMBARDINI 15LD440
Engine rpm (rpm)	3000
Starting system	Elettrico
Engine capacity (cm ³)	442
Number cylinders	1
Cooling	Air
Welding current (A)	180 al 35% - 170 al 60%
Fuel tank capacity (L)	5
Consumption (L/h)	1.6 al 75% del carico
Running time (h)	3.1
Length (mm)	920
Width (mm)	520
Height (mm)	660
Dry weight (Kg)	
Inverter	No
AVR	No
Compound	No
Silenced	Yes
Super silenced	No