

VTE PAGURO 22EK Marine Generator Supersilenced AVR 22 kVA

Reference: AP22523050EK



PAGURO22EK marine VTE Supersilenced 22 KVA generator set

PAGURO22EK marine Genset VTE single-phase 22 KVA t with Kohler diesel-powered 1500 rpm engine and water-cooled with stainless steel water/air heat exchanger.

To prevent damage to parts in contact with seawater, the components are all made of 316 L stainless steel.

The noise emissions of 53 dB(A) of the VTE PAGURO22EK marine genset are reduced to a minimum because it is water-cooled and has a double anti-vibration system, making it one of the quietest of its kind.

The VTE PAGURO22EK marine genset with 1500 rpm motor is compact and space-saving and is suitable for use on medium-sized boats, excellent for powering your boat in complete peace of mind.

The PAGURO22EK Marine Generating Set is the ideal solution for anyone looking for a reliable, efficient and quiet generator set. It is perfect for powering all the electrical consumers on a medium-sized boat, from auxiliary engines to navigation systems, on-board services and household appliances.

Technical specifications:

Fuel: Diesel

Engine revs (rpm): 1500

Phase type: Single-phase

Single-phase continuous power (KVA): 22

Frequency (Hz): 50

Voltage (V): 230

Motor: KOHLER KDI 2504 M

Starter: Electric

Silenced: Supersilenced 53 dB(A)

Cooling: Fresh water with heat exchanger

Dry weight (kg): 620

Length (mm): 1224

Width (mm): 710

Height (mm): 828

AVR

Engine

The diesel-powered Kohler engine makes the PAGURO22EK marine genset efficient and reliable. Designed with stainless steel water/air heat exchanger.

Alternator

The PAGURO22EK's alternator is synchronous, brushless and with class H insulation. The AVR voltage regulator stabilises the voltage and makes the PAGURO22EK marine genset perfect for powering even the most sensitive electronic devices and devices that fear voltage and current fluctuations.

It is also freshwater cooled via an AISI 316 L stainless steel heat exchanger.

Included with the alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

The PAGURO22EK marine VTE generator set is ideal for medium-sized boats. With an output of 22 KVA and a noise emission level of only 53 dB(A), the PAGURO22EK Marine VTE Genset is the perfect solution for those looking for a reliable, efficient and quiet product.

Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this genset one of the quietest compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, with 4 soft inner mounts and 4 semi-elastic outer mounts, makes the PAGURO22EK stable even in less calm waters and silenced, so you can enjoy your navigation without additional worries.

If you are looking for a different kind of product, you can consult our entire catalogue of marine gensets click [HERE](#).

Non-binding images and technical data.

Technical Sheet

Phase	Single phase
Continuous power single phase (KW)	22
Continuous power single phase (KVA)	22
Fuel	Diesel
Frequency (Hz)	50
Voltage (V)	230
Engine	
Engine rpm (rpm)	1500
Starting system	Elettrico
Number cylinders	4
Cooling	Fresh water with heat exchanger
Alternator	Brushless
Acoustic pressure	53 dB(A)
Length (mm)	1224
Width (mm)	710
Height (mm)	828
Dry weight (Kg)	620
Silenced	Yes

Super silenced	Yes
Product type	Generator
Voltage regulator	AVR
Engine manufacturer	Kohler
