



HONDA F510 K7 Petrol Compact Rotary Tiller 163 cc. 6+2R Speed

Reference: F 510 K7 TE H

HONDA F510K7 ROTARY TILLER 163 cc

Honda F510K7 compact rotary tiller 163 cc.

Honda F510K7 a compact rotary tiller offers you optimal performance for large flowerbeds and vegetable gardens. Is gardening serious for you?

Try one of these efficient, lightweight and robust hoes and see how they dig and turn all kinds of soil.

HONDA F510K7 COMPACT: rear rollers flatten and compact the soil for a perfect result

HONDA F510K7 COMPACT: easy handling and light weight make it easy to use even for beginners.

TECHNICAL CHARACTERISTICS HONDA COMPACT ROTARY TILLER F510K7:

Maximum working width: 900 mm

Maximum working depth: 330 mm

Forward speed: 6

Reverse speed: 2

Forward rotation speed: from 21 to 122 rpm.

Reverse speed: 16 - 32 rpm.

Dimensions

Length: 1395 mm

Width: 610 mm

Height: 865 mm

Dry weight: 50 Kg

Engine: HONDA

Fuel: Petrol

Engine: OHC 4-stroke

model: GX160

Engine capacity: 163 cc.

power: 3.4 kW /3600 rpm.

Net engine torque: 10.3 Nm / 2,500 rpm.

Fuel tank capacity: 2.3 Lt.

Engine oil capacity: 0.6 Lt.

Starting: Tear-Off starting

Transmission Clutch: Manual - Belt Tension
Transmission: Constant engagement
Final Drive: Chain
Sound pressure at operator's ear: 83 dB(A)
Guaranteed sound power level: 97 dB(A)
Vibration: 6 meters/second squared
Foldable handle: YES
Height-adjustable handle: YES

What will impress you is first & foremost the quality of finish. Credit for this lies above all in engine, transmission & robust clutch, which direct power to where it is needed, in other words, deep down.

Just select speed & you're off. All Honda compact rotary tillers F510K7 compact rotary tillers are equipped with a transmission that ensures optimal & powerful traction, regardless of speed of the cutter.

This means that you can adjust the advancement over performance of the cutter to achieve a perfect result every time.
Cutters not included.

If you are interested in a product similar to the Honda F510K7 Rotary tiller [I know more Honda models.](#)

Technical Sheet

| | |
|------------------------------------|--------------------------------|
| Fuel | Gasoline |
| Engine | GX160 |
| Engine rpm (rpm) | 3600 |
| Ignition | Recoil |
| Starting system | Manuale |
| Engine capacity (cm ³) | 163 |
| Oil capacity (L) | 0.6 |
| Working width (mm) | 900 |
| Transmission | Constant Gear |
| Net power (kW) | 3.4 |
| Maximum torque | 10.3 Nm / 1.05 kgfm / 2500 rpm |
| Fuel tank capacity (L) | 2.3 |
| Acoustic power | 97 dB(A) |
| Acoustic pressure | 83 dB(A) |
| Height (mm) | 865 |
| Dry weight (Kg) | 50 |

| | |
|------------------------|-----------------------|
| Self propelled | Yes |
| Speeds | 6 Forward + 2 Reverse |
| Max tilling depth (mm) | 330 |
| Engine manufacturer | Honda |
