



TELWIN MASTERMIG 500 230-400V AQUA

Reference: 822008

MIG-MAG/FLUX/BRAZING welding machine with removable wire feeder, fit for use in the industrial field.
 Flexibility of use with a wide range of materials such as steel, stainless steel, high strength steels and aluminium.

Features:

- Very strong
- Numerous steps for regulation of arc voltage
- Regulation of spot welding time
- Two positions for reactance
- Thermostatic protection

Thanks to the extensions (optional) it is possible to increase the working range between wire feeder and power source up to 10 meters.

Complete with water cooling unit and MIG-MAG welding accessories.

Not binding images and technical data.

Technical Sheet

Phase	Single phase / Three phase
Frequency (Hz)	50 / 60
Voltage (V)	230 / 400
Protection degree	IP22
No-load voltage (V)	55
Adjustment positions	24
Regulation current (A)	50 - 500
Ø steel welding wire (mm)	0.6 - 2
Ø inox welding wire (mm)	0.8 - 2
Ø aluminium welding wire (mm)	0.8 - 1.2
Ø flux cored welding wire (mm)	1 - 2
Ø brazing wire (mm)	0.8 - 1.2
Type of welding	MIG-MAG
MIG-MAG welding	MIG-MAG/FLUX/BRAZING

Current max (A)	500
Length (mm)	945
Width (mm)	865
Height (mm)	830
Weight (Kg)	136
