

## HONDA HP500HNXE Minidumper Crawler - Dumping body with hydraulic lifting

Reference: HP 500H NX E



### HONDA HP500HNXE MINIDUMPER TRACKED - TIPPING BODY WITH HYDRAULIC LIFTING

The HONDA HP500HNXE Minidumper Tracked is a compact and powerful machine, designed for transporting materials on difficult terrain,

ideal for construction sites, gardening, agriculture and maintenance.

Equipped with a Honda GXV 160 163cc engine and a power of 4.8 HP (3.6 kW at 3600 rpm), it offers reliability and consistent performance over time.

The tipping body is equipped with a hydraulic pantograph lifting system, which guarantees practicality and safety when unloading the material.

The hydrostatic transmission and mechanical steering clutches in oil bath ensure smooth and controlled driving even on slopes and uneven surfaces.

#### **Main features HONDA HP500HNXE Minidumper Cingolato:**

Engine Honda GXV 160

Displacement 163cc

Power (HP/KW at 3600g/min) 4.8/3.6

Starter Self-recoil

Tank capacity 03 lt.

Transmission Hydrostatic

Max. forward speed 0-4.3km/h

Max. reverse speed 0 - 3.6km/h

Hydrostatic clutch

Safety clutch

Life saver with machine brake

Machine brake Mechanical

Steering clutch Mechanical in oil bath

## Lifting Hydraulic box with pantograph system

Max length 2140 mm

Max width 650 mm

Max height 1100 mm

Track dimensions 180 x 2220 mm

Max track width 600 mm

Handlebar height 950 mm

Body dimensions length X width X height 760 X 1425 X 592 mm

Dumper capacity / Load capacity 330lt

Load capacity on flat surfaces 500kg

Load capacity on slopes 350kg

Dry weight 244 kg

Are you looking for a tracked forklift with different technical characteristics? [HERE](#) you can find the entire range of Honda tracked trolleys or other specialized brands.

## Technical Sheet

Engine	Honda GXV160
Engine rpm (rpm)	3.600
Starting system	Recoil
Engine capacity (cm <sup>3</sup> )	163
Transmission	Hydrostatics
Capacità di carico in piano (Kg)	
Capacità di carico in pendenza (Kg)	350
Weight (Kg)	244
protezione da sovratensione	3600
Lifesaver	with machine brake
Lifting the box	hydraulic with pantograph system
Max Length	2140 mm
Max width	650 mm
Max Height	1100 mm
Track Dimensions	180 x 2220 mm
Maximum lane width	600 mm

---

Handlebar height	950 mm
Dim body length. X width X height	760 X 1425 X 592 mm
Dumper capacity / capacity	330LT

---