



GENSET MG 4000 I-HE SINGLE PHASE GENERATOR 3,85 KVA

Product price:

757.00 € tax excluded

Product description:

GENSET MG 4000 I-HE SINGLEPHASE GENERATOR 3,85 KVA

The generator GENSET MG 4000 I-HE singlephase features a gasoline engine capable of delivering 3,85 KVA with voltage regulator.

The GENSET MG 4000 I-HE singlephase generator provides reliable power for home, work and recreation environments Safely powering appliances and other electronic devices solution for outdoor parties.

GENSET MG 4000 I-HE has an all-steel construction and a large metal tank with fill indicator. The generator guarantees an efficient and silent operation thanks to the Honda OHV engine that allows to deliver a maximum power of 3.85 KVA.

The entire GENSET MG 4000 I-H range has successfully passed different tests for each component of which the groups and the final product itself are composed in order to give the best possible reliability to the user.

The strengths of the single-phase generator 3.85 KVA are: the high quality of components, lightness, compactness, portability and ease of use and also modern design. The 3.85 KVA single-phase generator is equipped with a manual rope starter.

TECHNICAL FEATURES GENSET MG 4000 I-H

Phase Type: SinglePhase

Maximum SinglePhase Output: 3.85 KVA Maximum SinglePhase Output: 3.08 KW

VAC Voltage: 230 V Frequency (Hz): 50

Starting Frame: Manual with self-winding



Motor: Honda GX 200 OHV Emission Standard: Stage V

RPM: 3000

Supply: Gasoline

Fuel tank capacity: 3.1 l

Consumption @ 75 % load: 1.5 l/h Autonomy @ 50 % load: 2.06 h Sound pressure: 95 dB(A) @ 7m

Length: 610 mm Width: 360 mm Height: 410 mm Net weight: 38 Kg

Looking for a generator with different characteristics? <u>Here</u> you can find the full range of generators GENSET or other specialized brands

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 3.08 Maximum power single phase (KVA): 3.85

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 2 Schuko

Engine: Honda GX200, 4 stroke, OHV

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Ignition: Recoil

Starting system: Manual Engine capacity (cm³): 196

Number cylinders: 1

Cooling: Air

Protection degree: IP23 Motor insulation class: H Fuel tank capacity (L): 3.1 Acoustic power: 98 dB(A)

Acoustic pressure: 73 dB(A) at 7 m



Length (mm): 610 Width (mm): 360 Height (mm): 410 Dry weight (Kg): 38

Silenced: No

Super silenced: No

Product type: Generator ATS Switch device: No Voltage regulator: No

Engine manufacturer: Honda

