



GENMAC BETA-GAS G30GO-LPG THREE- PHASE 29 KVA LPG GAS - STAMFORD ALTERNATOR

Product description:

The INDUSTRIAL power generator range also includes a Gas-powered series (Natural Gas / LPG) from 30 to 100 KVA and a series with air cooled engine from 30 to 100 KVA.

Genmac Industrial range diesel generating sets are used worldwide in different application fields and supply current to Hospitals, Industries, Shopping centres, Hotels, Hen houses, Data centres, Mills, Airports, Fish farms, Events, Resorts, GSM towers, Banks, Universities, Stadiums, and Offices.

Not binding images and technical data.

Product features:

Phase: Single phase / Three phase

Maximum power three phase (KW): 26

Continuous power three phase (KW): 23

Maximum power three phase (KVA): 33

Continuous power three phase (KVA): 29

Fuel: LPG

Frequency (Hz): 50

Voltage (V): 230 / 400

Sockets configuration: Terminal box

Engine: General Motors RMG3000-D51-01

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500

Speed governor: Electronic





Starting system: Electric
Engine capacity (cm³): 3000
Number cylinders: 4
Oil capacity (L): 3.8
Cooling: Water
Alternator: Stamford S0L2-P1, self-excited
Poles: 4
LPG consumption (L/h): 15.1
Length (mm): 2250
Width (mm): 1020
Height (mm): 1521
Dry weight (Kg): 816
Silenced: No
Super silenced: No
ATS Switch device : No
Voltage regulator: AVR
Engine manufacturer: General Motors

