



# HONDA EU 22i Petrol Inverter Generator 2.2 kW 2.5 kVA

## Product description:

GENERATOR RENTAL 2,2 KW HONDA EU22i super-silenced inverter

Generator Rental 2,2KW HONDA EU22i, part of the portable range of Honda, is a 2,2 KW single-phase, super-silenced and with inverter technology voltage regulator.

This group is perfect for both hobby and professional use, thanks to the reliable Honda gasoline engine and all the high quality components of which it is composed.

It is a compact generator, easy to use and of high quality: for this reason it was chosen for our rental range.

## The rental service

Hiring a generator has never been easier: choose the product you want to rent and FILL OUT THE FORM.

Our specialized staff will respond immediately with the offer that best suits you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

Our specialized staff will respond immediately with the most suitable offer!

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will be using the rental service.

Generator Rental 2,2KW Honda EU22i is one of the quietest in its class as it has been designed with sound-insulating cladding and a unique exhaust system silencer. In addition, the EU22i is designed with lightweight materials such as magnesium, plus its ergonomic design such as the convenient handle, make this portable genset extremely easy to lift and carry.



## Inverter Voltage Regulator

The inverter technology voltage regulator guarantees you a constant, clean and uninterrupted power supply. In this way, thanks to the inverter voltage regulator, you will be able to connect your sensitive devices (PCs, smartphones, household appliances, etc.) to your EU22i safely and without burning them out.

The Generator Rental 2,2KW set, like all Honda portable generators, is equipped with the exclusive load sensing device: the ECO-Throttle™. This device allows, as the load increases, to automatically increase the speed of the generator, so you will always have the energy you need without straining the generator. This also gives you great fuel economy.

Another device found on all Honda portable gensets is Oil Alert™ technology that will automatically shut off the contact if the oil is below the safe level.

These units can be connected together using a parallel cable that doubles the power. Connected in this way, they can meet the needs of small facilities such as delivering power to keep the air conditioner running in an RV. Two smaller gensets are easier to manage and transport than one large one, and once in place, they can be connected to increase power.

With the Generator Rental 2,2KW EU22i genset, you'll never be stranded because with a convenient 12 VDC outlet, this portable generator allows you to recharge a car battery while providing power for more. The Generator Rental 2,2KW EU22i is an all-round energy source.

### TECHNICAL DATA SHEET GENERATOR RENTA 2,2KW HONDA EU22i

Phase Type: Single-Phase

Maximum Single-Phase Power (kW): 2.2 KW / 2.75 KVA

Continuous Single-Phase Power (kW): 1.8 / 2.25 KVA

Fuel: Gasoline

Voltage (V): 230

Frequency (Hz): 50 Hz

Engine: Honda GXR120

Type: 4-stroke, OHV, 1 cylinder

Start: Manual recoil

Voltage controller: Inverter

Runtime: 3h 30

Consumption: 1.02 Lt/h

Length: 512 mm

Width: 290 mm

Height: 425 mm

Weight (Kg): 20.7

Are you looking for a generator with different technical characteristics? Here you can find our entire rental fleet where you can find the perfect generator for you.





---

## RENTAL SERVICE ONLY AVAILABLE FOR ITALY

Images and technical data are not binding.

### Product features:

Phase: Single phase

Maximum power single phase (KW): 2.2

Continuous power single phase (KW): 1.8

Maximum power single phase (KVA): 2.75

Continuous power single phase (KVA): 2.25

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 2 x 230V SCHUKO

Engine: Honda GXR120, 4 stroke, OHV

Engine rpm (rpm): 4500

Ignition: Transistorized

Starting system: Manual

Engine capacity (cm<sup>3</sup>): 121

Number cylinders: 1

Oil capacity (L): 0.4

Cooling: Forced air

Alternator: Multipolar

Bore x stroke (mm): 60 x 43

Fuel tank capacity (L): 3.6

Consumption (L/h): 0.93

Running time (h): 3.35

Acoustic power: 90 dB(A)

Acoustic pressure: 72 dB(A)

Length (mm): 509

Width (mm): 290

Height (mm): 425

Dry weight (Kg): 20.7

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : No

Voltage regulator: Inverter

Engine manufacturer: Honda

