



# CGM C5000

**Product price:**

**1,215.00 € tax excluded**

**Product description:**

## **CGM C5000 Singlephase Generator 5 KVA**

The Generator CGM C5000 Singlephase is equipped with a Honda engine powered by gasoline STAGE V at 3000 rpm, capable of delivering a power of 5KVA

The CGM C5000 Generator is compact and easy to use, mounted on a fixed base with rubber vibration dampers, composed of an alternator Made in Italy by Linz or NSM, self-excited without brushes and with voltage regulator **AVR**.

The CGM C5000 has a manual recoil start with recoil starter and low fuel consumption, in fact it consumes only 1 liter/hour at 75% load.

The CGM C5000 generator is part of the CLASSIC series and is easily adaptable to a variety of uses such as homes, mobile facilities, camping, hobbies, construction sites, etc.

### **Technical features of CGM C5000 generator:**

Phase type: Single phase

Maximum power: 4.95 KW

Continuous power: 4. 5 KW

Maximum power: 5.5 KVA

Continuous power: 5 KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Motor: HONDA GX270

Emission standard: Stage V

Engine RPM: 3000 rpm

Start: Manual

Voltage regulator system: AVR

Consumption: 1.6 Lt/h at 75% load

Tank capacity: 5. 3 Lt

Autonomy: 3.3 h at 75% load



Length: 780 mm

Width: 510 mm

Height: 500 mm

Weight: 58 Kg

Discover the full range reserved for [current generators](#) of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 4.95

Continuous power single phase (KW): 4.5

Maximum power single phase (KVA): 5.5

Continuous power single phase (KVA): 5

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V SCHUKO

Engine: HONDA GX270

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Manuale

Engine capacity (cm<sup>3</sup>): 270

Number cylinders: 1

Alternator: Made in Italy

Poles: 2

Fuel tank capacity (L): 5.3

Consumption (L/h): 1.6

Running time (h): 25

Length (mm): 780

Width (mm): 510



Height (mm): 500

Dry weight (Kg): 58

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Honda

