



# **CGM C5000E**

# **Product price:**

1,597.50 € tax excluded

### **Product description:**

# CGM C5000E Singlephase Generator 5 KVA

The Generator Singlephase CGM C5000E is equipped with a Honda engine powered by gasoline STAGE V at 3000 rpm, capable of delivering a power of 5KVA

The CGM C5000E Generator is compact and easy to use, mounted on a fixed base with rubber vibration dampers, composed of an alternator Made in Italy by Linz or NSM, self-excited without brushes and with voltage regulator **AVR**.

The CGM C5000E features electric start and low fuel consumption, in fact, it consumes only 1.6 liter/hour at 75% load.

The CGM C5000E generator is part of the CLASSIC series and is easily adaptable to a variety of uses such as homes, mobile facilities, camping, hobbies, construction sites, etc.

## Technical features of the CGM C5000E generator:

Phase type: Single phase Maximum power: 4.95 KW Continuous use power: 4.5 KW Maximum power: 5. 5 KVA Continuous use power: 5 KVA

Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz Motor: HONDA GX270 Motor RPM: 3000 RPM

Start: Electric

Voltage regulator system: AVR Consumption: 1. 6 Lt/h at 75% load

Tank capacity: 5.3 Lt

Run time: 3. 3 h at 75% load

Length: 780 mm



Width: 510 mm Height: 500 mm Weight: 80 Kg

Discover the full range reserved for <u>current generators</u> of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

#### **Product features:**

Phase: Single phase

Maximum power single phase (KW): 4.95 Continuous power single phase (KW): 4.5 Maximum power single phase (KVA): 5.5 Continuous power single phase (KVA): 5

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V SCHUKO

Engine: HONDA GX270

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Starting system: Elettrico Engine capacity (cm³): 270

Number cylinders: 1 Alternator: Made in Italy

Poles: 2

Fuel tank capacity (L): 5.3 Consumption (L/h): 1.6 Running time (h): 25 Length (mm): 780 Width (mm): 510 Height (mm): 500 Dry weight (Kg): 80

Silenced: No

Super silenced: No Product type: Generator



ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Honda

