



CGM C11000

Product price:

2.500,00 € tax excluded

Product description:

CGM C11000 single-phase 10 KVA generator

Generator CGM C11000 single-phase 10 KVA generator with Briggs & Stratton engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use, mounted on a fixed base with rubber vibration dampers.

The CGM C11000 generator is composed of a Made in Italy alternator by Linz or NSM, self-excited without brushes and with AVR voltage regulator. The CGM C11000 generator set is equipped with a manual recoil starter, but it is also available in the version with electric start and with a low fuel consumption, in fact it consumes only 3.8 liters/hour at 75% of the load. This generating set C11000 is perfect for outdoor use as for example for hobby use.

The CGM C11000 generating is part of the CLASSIC series and is easily adaptable to various uses such as homes, mobile facilities, camping, hobbies, construction sites, etc.. The C11000 generator set at 3000 rpm is suitable for emergency use only. It is not recommended to be used for more than 6 hours continuously and for more than 500 hours per year.

Technical features of CGM C11000 generator:

Phase type: Single phase

Maximum power: 9.9 KW

Continuous use power: 9 KW

Maximum power: 11 KVA

Continuous use power: 10 KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Motor: BRIGGS & STRATTON 16HP

Motor RPM: 3000 RPM

Start: Manual



Voltage regulator system: AVR
Consumption: 3. 8 Lt/h at 75% load
Tank capacity: 8.5 Lt
Autonomy: 2.2 h at 75% load
Length: 910 mm
Width: 580 mm
Height: 640 mm
Weight: 97 Kg

Discover the full range reserved for Ground generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 9.9
Continuous power single phase (KW): 9
Maximum power single phase (KVA): 11
Continuous power single phase (KVA): 10
Fuel: Gasoline
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V 32A 3P CEE
Engine: Briggs&Stratton
Emissions Regulations: Stage 5
Engine rpm (rpm): 3000
Starting system: Manual
Engine capacity (cm³): 480
Number cylinders: 2
Alternator: Made in Italy
Poles: 2
Fuel tank capacity (L): 8.5
Consumption (L/h): 3.8
Running time (h): 2.2
Length (mm): 910
Width (mm): 580
Height (mm): 640
Dry weight (Kg): 97
Silenced: No
Super silenced: No
Product type: Generator



ATS Switch device : No
Voltage regulator: AVR
Engine manufacturer: Briggs&Stratton