



## CGM C11000E

**Product price:**

**2.737,50 € tax excluded**

### **Product description:**

CGM C11000E single-phase 10KVA generator

CGM C11000E single-phase Generator 10KVA with Briggs & Stratton engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use, mounted on a fixed base with rubber vibration dampers.

The CGM C11000E generator set is composed of a Made in Italy Linz or NSM alternator, self-excited without brushes and with voltage regulator or AVR.

The CGM C11000E generator set is equipped with electric start with 12 V battery or manual recoil starter and low fuel consumption, in fact it consumes only 3.8 liters/hour at 75% load. This C11000E generator set is perfect for outdoor use such as for hobby use.

The CGM C11000E genset is part of the CLASSIC series and easily adapts to a variety of uses such as homes, mobile facilities, campgrounds, hobbies, construction sites, etc. The C11000E generator set at 3000 rpm is suitable for emergency use only. It is not recommended to use it for more than 6 hours continuously and for more than 500 hours per year.

### **Technical features of CGM C11000E unit:**

Phase type: Single phase

Maximum single phase power: 9.9 KW

Single-phase continuous use power: 9 KW

Maximum single-phase power: 11 KVA

Single-phase continuous use power: 10KVA

Fuel: Gasoline

Voltage: 230 V

Frequency: 50 Hz

Motor: BRIGGS & STRATTON 16HP



Motor RPM: 3000 RPM  
Start: Electric  
Voltage regulator system: AVR  
Consumption: 3. 8 Lt/h at 75% load  
Tank capacity: 8. 5 Lt  
Autonomy: 2.2 h at 75% load  
Length: 910 mm  
Width: 580 mm  
Height: 640 mm  
Weight: 125 Kg

Discover the full range reserved for Ground generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 9.9  
Continuous power single phase (KW): 9  
Maximum power single phase (KVA): 11  
Continuous power single phase (KVA): 10  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V 32A 3P CEE  
Engine: Briggs&Stratton  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 480  
Number cylinders: 2  
Alternator: Made in Italy  
Poles: 2  
Fuel tank capacity (L): 8.5  
Consumption (L/h): 3.8  
Running time (h): 2.2  
Length (mm): 910  
Width (mm): 580





Height (mm): 640

Dry weight (Kg): 125

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: Briggs&Stratton

