



Product description:

CGM D15000 single-phase 13,5 KVA generating

CGM D15000 single-phase 13,5 KVA generator set with a Kohler engine powered by STAGE V diesel at 3000 rpm, compact and easy to use, mounted on a fixed base with rubber vibration dampers.

The CGM D15000 generator set consists of a Made in Italy alternator from Linz or NSM, selfexcited without brushes and with optional capacitor or **AVR** voltage regulator. The CGM D15000 generator set is equipped with electric start with 12V battery and with a low fuel consumption, in fact it consumes only 3,2 liters/hour at 75% of the load.

This CGM D15000 is perfect for outdoor use such as for hobbyist use. Also available with a panel for automatic start with ATS.

The CGM D15000 generator set is part of the CLASSIC DIESEL series and are characterized by lower consumption and a longer life expectancy than the gasoline powered range. The CGM D15000 at 3000 rpm is suitable for emergency use only. It is not recommended for use for more than 6 hours continuously and for more than 500 hours per year.

Technical characteristics of CGM D15000:

Phase type: Single phase Maximum power: 13.5 KW Continuous power: 12 KW Maximum power: 15 KVA Continuous power: 13.5 KVA Fuel: Diesel Voltage: 230 V Frequency: 50 Hz Motor: KOHLER KD477 Engine speed: 3000 rpm



Starting: Electric Voltage regulator system: Condenser, AVR optional Consumption: 3.2 Lt/h at 75% of the load Tank capacity: 50 Lt Autonomy: 15.6 h at 75% load Length: 1100 mm Width: 700 mm Height: 800 mm Weight: 210 Kg Discover the full range reserved for generators of CGM or other top brands by browsing our catalog to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Ø.

Phase: Single phase Maximum power single phase (KW): 13.5 Continuous power single phase (KW): 12 Maximum power single phase (KVA): 15 Continuous power single phase (KVA): 13.8 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 Sockets configuration: 1 x 230V 16A 3P CEE - 1 x 230V 63A 3P CEE Engine: Kohler KD477 **Emissions Regulations: Stage 5** Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 954 Number cylinders: 2 Alternator: Made in Italy Poles: 2 Fuel tank capacity (L): 50 Consumption (L/h): 3.2 Running time (h): 15.6 Length (mm): 1100 Width (mm): 700 Height (mm): 800 Dry weight (Kg): 210 Silenced: No

R

Super silenced: No Product type: Generator ATS Switch device : Optional Voltage regulator: Capacitor / AVR (optional) Engine manufacturer: Kohler

R