MOSA GE 45 YSX



Product description:

GENERATOR RENTAL 46KVA MOSA GE45YSX AVR

GENERATOR RENTAL 46KVA MOSA GE45YSX single-phase / three-phase generator, equipped with a YANMAR 4TNV98T Diesel engine capable of delivering a maximum power of 46KVA, complete with **AVR voltage regulator**.

The GENERATOR RENTAL 46KVA MOSA GE45YSX generator set is equipped with electric or automatic start-up through ATS panel, which allows the automatic start-up in case of blackout.

The GENERATOR RENTAL 46KVA MOSA GE45YSX is compact and convenient to maneuver and transport thanks to its compact size, with a weight of 1020 kg in addition to the practical pierceable base.

RENTAL SERVICE

The **rental of a generator** has never been so easy: choose the product you want to rent and Complete the form.

Our specialized staff will respond immediately with the offer that best suits you!

The equipment available for rental can be shipped throughout Italy and is always ready for action: our team of technicians will always keep it in perfect working condition.

It is advisable to use our equipment in order to keep it in perfect working condition.

It is advisable to book in advance for the rental of large quantities of machines: this is especially important in conjunction with trade fairs or events, where many people will use the rental service.

The GENERATOR 46KVA GE45YSX generator set with a 100-litre tank has a fuel consumption

R



of 7.4 litres/hour at 75% load for an autonomy of more than 13 hours. The alternator is synchronous, self-excited, self-regulated, brushless with class H insulation with AVR voltage regulator.

Voltage Regulator AVR

The MOSA GE45YSX is equipped with a voltage regulator. The AVR is a device that allows you to **keep the output more constant and less dependent on the load**. Thanks to this card there are fewer drops or spikes in current and this makes it safer to use the various devices connected, improving performance and durability.

TECHNICAL FEATURES MOSA GE45YSX

Phase Type: Singlephase / Threephase Continuous Singlephase Power: 15.5 KVA / 12.4 KW Maximum Singlephase Power: 17 KVA / 13.6 KW Continuous Threephase Power: 42 KVA / 33.6 KW Maximum Threephase Power: 46 KVA / 36.8 KW Power Factor cos fi?: 0.8 VAC voltage: 230 / 400 V Frequency (Hz): 50 Voltage regulator: AVR Starting sequence: Manual / Automatic Motor: YANMAR 4TNV98T RPM: 1500 Power supply: Diesel Fuel tank capacity: 100 l Consumption: 7. 4 l/h @ 75 % of load Autonomy: 13.5 h @ 75 % of load Acoustic pressure: 65 @ 7m Length: 2050 mm Width: 900 mm Height: 1420 mm Net weight: 1020 Kg

Are you looking to rental a generator set with different technical characteristics? Here you can find our entire rental fleet where you can find the perfect generator for you.

Available for Turin and all of Italy.

The images are purely indicative.

Product features:

Ø.

Phase: Single phase / Three phase Maximum power single phase (KW): 13.6 Continuous power single phase (KW): 12.4 Maximum power single phase (KVA): 17 Continuous power single phase (KVA): 15.5 Maximum power three phase (KW): 36.8 Continuous power three phase (KW): 33.6 Maximum power three phase (KVA): 46 Continuous power three phase (KVA): 42 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 230 / 400 Sockets configuration: 1x 400V 63A 3P+N+T CEE / 1x 400V 32A 3P+N+T CEE / 1x 400V 16A 3P+N+T CEE / 2x 230V SCHUKO Engine: YANMAR 4TNV98T **Emissions Regulations: Stationary Use** Engine rpm (rpm): 1500 Speed governor: Mechanical Starting system: Engine capacity (cm³): 3319 Number cylinders: 4 Cooling: Water Invección : Direct Alternator: Sincrono trifase, autoeccitato, autoregolato, senza spazzole Length (mm): 2050 Width (mm): 900 Height (mm): 1420 Dry weight (Kg): 1020 Silenced: Yes Super silenced: Yes Product type: Generator ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Yanmar